

Arthroscope hardware

4.0 mm Arthroscope hardware – Speed-Lock

5.0 mm Series

- 377-031-144** 5.0 mm Cannula, 2 Rotating Stopcocks
- 377-031-129** Pencil Tip Obturator for 5.0 mm Cannula
- 377-031-229** Trocar for 5.0 mm Cannula



5.8 mm Series

- 747-031-560** 5.8 mm Cannula, 2 Fixed Stopcocks
- 747-031-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 747-031-540** 5.8 mm Cannula, 1 Fixed Stopcock
- 747-031-530** 5.8 mm Cannula, 1 Rotating Stopcock
- 747-031-510** Pencil Tip Obturator for 5.8 mm Cannula
- 747-031-511** Blunt Tip Obturator for 5.8 mm Cannula
- 747-031-520** Trocar for 5.8 mm Cannula



6.5 mm Series

- 377-031-650** 6.5 mm Cannula, 2 Rotating Stopcocks
- 377-031-630** 6.5 mm Cannula, 1 Rotating Stopcock
- 377-031-610** Pencil Tip Obturator for 6.5 mm Cannula
- 377-031-611** Blunt Tip Obturator for 6.5 mm Cannula
- 377-031-620** Trocar for 6.5 mm Cannula



6.5 mm Series inflow/outflow cannula

- 747-031-650** Inflow/Outflow Cannula, 2 Rotating Stopcocks (Continuous Flow)
- 747-031-510** Pencil Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-511** Blunt Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-520** Trocar for 6.5 mm Inflow/Outflow Cannula



4.0 mm Long Arthroscope hardware – Speed-Lock

5.8 mm Series

- 502-577-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 502-577-520** Trocar for 5.8 mm Long Cannula
- 502-577-510** Blunt Tip Obturator 5.8 mm Long Cannula
- 502-577-515** Pencil Tip Obturator 5.8 mm Long Cannula



2.7 mm Arthroscope hardware – Speed-Lock

4.0 mm Series

343-331-430	4.0 mm Cannula, 1 Rotating Stopcock
343-331-450	4.0 mm Cannula, 2 Rotating Stopcocks
343-331-410	Pencil Tip Obturator for 4.0 mm Cannula
343-331-411	Blunt Tip Obturator for 4.0 mm Cannula
343-331-420	Trocar for 4.0 mm Cannula



2.7 mm Stubby arthroscope hardware – Speed-Lock

3.2 mm Series

» Low-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-244-530	4.0 mm Cannula, 1 Rotating Stopcock
502-244-550	4.0 mm Cannula, 1 Fixed Stopcock
502-244-560	4.0 mm Cannula, 2 Rotating Stopcocks
502-244-500	Pencil Tip Obturator for 4.0 mm Cannula
502-244-510	Blunt Tip Obturator for 4.0 mm Cannula
502-244-520	Trocar for 4.0 mm Cannula




2.7 mm Stubby arthroscope hardware – J-lock

3.2 mm Series

» Low-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-714-530	4.0 mm Cannula, 1 Rotating Stopcock
502-714-550	4.0 mm Cannula, 1 Fixed Stopcock
502-714-560	4.0 mm Cannula, 2 Rotating Stopcocks
502-714-500	Pencil Tip Obturator for 4.0 mm Cannula
502-714-510	Blunt Tip Obturator for 4.0 mm Cannula
502-714-520	Trocar for 4.0 mm Cannula




2.3 mm Arthroscope hardware – Speed-Lock

3.2 mm Series

» High-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow


502-623-530	2.9 mm Cannula, 1 Rotating Stopcock
502-623-500	Pencil Tip Obturator for 2.9 mm Cannula
502-623-510	Blunt Tip Obturator for 2.9 mm Cannula

2.3 mm Arthroscope hardware – J-lock

3.2 mm Series

» High-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow

502-712-530	2.9 mm Cannula, 1 Rotating Stopcock
502-712-500	Pencil Tip Obturator for 2.9 mm Cannula
502-712-520	Trocar for 2.9 mm Cannula

1.9 mm Arthroscope hardware – Speed-Lock

2.8 mm Series

502-144-530	2.8 mm Cannula, 1 Rotating Stopcock
502-144-550	2.8 mm Cannula, 1 Fixed Stopcock
502-144-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-144-500	Pencil Tip Obturator for 1.9 mm Cannula
502-144-510	Blunt Tip Obturator for 1.9 mm Cannula



1.9 mm Arthroscope hardware – J-lock

2.8 mm Series

502-711-530	2.8 mm Cannula, 1 Rotating Stopcock
502-711-550	2.8 mm Cannula, 1 Fixed Stopcock
502-711-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-711-500	Pencil Tip Obturator for 2.8 mm Cannula
502-711-510	Blunt Tip Obturator for 2.8 mm Cannula
502-711-520	Trocar for 2.8 mm Cannula



Arthroscope hardware

4.0 mm Arthroscope hardware – Speed-Lock

5.0 mm Series

- 377-031-144** 5.0 mm Cannula, 2 Rotating Stopcocks
- 377-031-129** Pencil Tip Obturator for 5.0 mm Cannula
- 377-031-229** Trocar for 5.0 mm Cannula



5.8 mm Series

- 747-031-560** 5.8 mm Cannula, 2 Fixed Stopcocks
- 747-031-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 747-031-540** 5.8 mm Cannula, 1 Fixed Stopcock
- 747-031-530** 5.8 mm Cannula, 1 Rotating Stopcock
- 747-031-510** Pencil Tip Obturator for 5.8 mm Cannula
- 747-031-511** Blunt Tip Obturator for 5.8 mm Cannula
- 747-031-520** Trocar for 5.8 mm Cannula



6.5 mm Series

- 377-031-650** 6.5 mm Cannula, 2 Rotating Stopcocks
- 377-031-630** 6.5 mm Cannula, 1 Rotating Stopcock
- 377-031-610** Pencil Tip Obturator for 6.5 mm Cannula
- 377-031-611** Blunt Tip Obturator for 6.5 mm Cannula
- 377-031-620** Trocar for 6.5 mm Cannula



6.5 mm Series inflow/outflow cannula

- 747-031-650** Inflow/Outflow Cannula, 2 Rotating Stopcocks (Continuous Flow)
- 747-031-510** Pencil Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-511** Blunt Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-520** Trocar for 6.5 mm Inflow/Outflow Cannula



4.0 mm Long Arthroscope hardware – Speed-Lock

5.8 mm Series

- 502-577-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 502-577-520** Trocar for 5.8 mm Long Cannula
- 502-577-510** Blunt Tip Obturator 5.8 mm Long Cannula
- 502-577-515** Pencil Tip Obturator 5.8 mm Long Cannula



2.7 mm Arthroscope hardware – Speed-Lock

4.0 mm Series

343-331-430	4.0 mm Cannula, 1 Rotating Stopcock
343-331-450	4.0 mm Cannula, 2 Rotating Stopcocks
343-331-410	Pencil Tip Obturator for 4.0 mm Cannula
343-331-411	Blunt Tip Obturator for 4.0 mm Cannula
343-331-420	Trocar for 4.0 mm Cannula



2.7 mm Stubby arthroscope hardware – Speed-Lock

3.2 mm Series

» Low-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-244-530	4.0 mm Cannula, 1 Rotating Stopcock
502-244-550	4.0 mm Cannula, 1 Fixed Stopcock
502-244-560	4.0 mm Cannula, 2 Rotating Stopcock
502-244-500	Pencil Tip Obturator for 4.0 mm Cannula
502-244-510	Blunt Tip Obturator for 4.0 mm Cannula
502-244-520	Trocar for 4.0 mm Cannula




2.7 mm Stubby arthroscope hardware – J-lock

3.2 mm Series

» Low-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-714-530	4.0 mm Cannula, 1 Rotating Stopcock
502-714-550	4.0 mm Cannula, 1 Fixed Stopcock
502-714-560	4.0 mm Cannula, 2 Rotating Stopcocks
502-714-500	Pencil Tip Obturator for 4.0 mm Cannula
502-714-510	Blunt Tip Obturator for 4.0 mm Cannula
502-714-520	Trocar for 4.0 mm Cannula




2.3 mm Arthroscope hardware – Speed-Lock

3.2 mm Series

» High-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow


502-623-530	2.9 mm Cannula, 1 Rotating Stopcock
502-623-500	Pencil Tip Obturator for 2.9 mm Cannula
502-623-510	Blunt Tip Obturator for 2.9 mm Cannula

2.3 mm Arthroscope hardware – J-lock

3.2 mm Series

» High-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow

502-712-530	2.9 mm Cannula, 1 Rotating Stopcock
502-712-500	Pencil Tip Obturator for 2.9 mm Cannula
502-712-520	Trocar for 2.9 mm Cannula

1.9 mm Arthroscope hardware – Speed-Lock

2.8 mm Series


502-144-530	2.8 mm Cannula, 1 Rotating Stopcock
502-144-550	2.8 mm Cannula, 1 Fixed Stopcock
502-144-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-144-500	Pencil Tip Obturator for 1.9 mm Cannula
502-144-510	Blunt Tip Obturator for 1.9 mm Cannula



1.9 mm Arthroscope hardware – J-lock

2.8 mm Series

502-711-530	2.8 mm Cannula, 1 Rotating Stopcock
502-711-550	2.8 mm Cannula, 1 Fixed Stopcock
502-711-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-711-500	Pencil Tip Obturator for 2.8 mm Cannula
502-711-510	Blunt Tip Obturator for 2.8 mm Cannula
502-711-520	Trocar for 2.8 mm Cannula





Formula 180 Shaver Handpiece (with buttons)
375-708-500



Formula Shaver Handpiece (without buttons)
375-701-500



Formula Shaver Handpiece (with buttons)
375-704-500



TPS Small-Joint Shaver Handpiece
275-601-500

Shaver handpieces

Handpieces » Compatible with CrossFire, Core	375-708-500	Formula 180 Shaver Handpiece (with buttons)
	375-701-500	Formula Shaver Handpiece (without buttons)
	375-704-500	Formula Shaver Handpiece (with buttons)
	275-601-500	TPS Small-Joint Shaver Handpiece
Accessories	375-701-000	Formula Soaking Cap



Autoclavable Arthroscope Sterilization Tray
233-032-104



Autoclavable Arthroscope and Hardware Sterilization Tray
233-032-116



Arthroscope and Camera Sterilization Tray
233-032-105



Endoscope and Camera Sterilization Tray
233-032-107

Sterilization trays

Trays

- 233-032-104** Autoclavable Arthroscope Sterilization Tray
Holds two eyepiece arthroscopes
L = 10.53" | W = 3.93" | H = 1.49"
- 233-032-116** Autoclavable Arthroscope and Hardware Sterilization Tray
Holds two C-mount arthroscopes and hardware
L = 11.21" | W = 6.59" | H = 1.50"
- 233-032-105** Arthroscope and Camera Sterilization Tray
Holds three arthroscopes, one camera, and one light cable
L = 20.66" | W = 9.81" | H = 2.75"
- 233-032-107** Endoscope and Camera Sterilization Tray
Holds two arthroscopes, two laparoscopes, one camera, and one light cable
L = 20.96" | W = 10.06" | H = 3.35"



Manual Instruments Sterilization Tray
242-000-024



Shaver Handpiece Tray
272-700-000



Cutter Cannula Accessory Tray
272-707-000



ParallelPortal Instrument Case and Tray
233-032-100 &
233-032-200



Hip Access and Instrumentation Hardware XL Tray
295-800-200

Instrument trays

Trays

242-000-012 12 Instrument Arthroscopy Manual Instruments Sterilization Tray
L = 16.5" | W = 11.5" | H = 6"

242-000-024 23 Instrument Arthroscopy Manual Instruments Sterilization Tray
L = 21.5" | W = 12" | H = 5.5"

272-700-000 Shaver Handpiece Tray
Holds one handpiece
L = 14" | W = 9" | H = 2"

272-707-000 Cutter Cannula Accessory Tray
Accommodates all Stryker cutter and bur hardware
L = 23.5" | W = 12.5" | H = 3.5"

295-800-000 Hip Access and Instrumentation Tray Lid

295-800-200 Hip Access and Instrumentation Hardware XL Tray
L = 18" | W = 15.5" | H = 6"

295-800-300 Hip Access and Instrumentation Arthroscope Tray
L = 18" | W = 15.5" | H = 6"

242-000-112 Hip Arthroscopy Instruments Tray
L = 23.5" | W = 13" | H = 10"

233-032-200 Sterilization Tray for ParallelPortal Instrumentation*
L = 22" | W = 10" | H = 4"

233-032-100 Sterilization Case for ParallelPortal Instrumentation*
L = 22" | W = 11" | H = 4"

*Sterilization Tray and Case for ParallelPortal instrumentation must be ordered in tandem