

Wir / We:

aap Implantate AG
 Lorenzweg 5
 12099 Berlin
 Germany



erklären in alleiniger Verantwortung, dass das Produkt der Klasse IIa:
declare under our sole responsibility that the medical device classified as class IIa device:

Bohrer kanüliert	drill cannulated
Boher nicht kanüliert	drill solid
Kopfraumfräser	countersink

auf das sich diese Erklärung bezieht, die anwendbaren Anforderungen der Richtlinie 93/42/EWG inklusive der Grundlegenden Anforderungen des Anhangs I der Richtlinie 93/42/EWG erfüllt.
to which this declaration refers, complies with the applicable requirements of Directive 93/42/EEC including the essential requirements of Annex I of Directive 93/42/EEC.

Angewandtes Konformitätsbewertungsverfahren:
Applied conformity assessment procedure:

Anhang II ohne Abschnitt 4 der Richtlinie 93/42/EWG
Annex II excluding Section 4 of Directive 93/42/EEC

Benannte Stelle: Notified Body:	DEKRA Certification GmbH Handwerkstraße 15, 70565 Stuttgart
Zertifikatsnummer: Certificate-registration No.:	50670-16-05
Gültig bis: Valid until:	2024-05-26
Kennzeichnung: Identification:	
Nummer der Notified Body Number of the notified body	0124
Erste LOT-Nummer: First batch code:	I001
Ort und Datum: Place and date:	Berlin, 2021-02-02
Unterschrift: Signature:	 <hr/>

CEO

**Konformitätserklärung
Declaration of Conformity
Drills and Countersinks**

1	IS 1302-16	Kopfraumfräser LS 2.7-4.5	Countersink CS 2.7-4.5, Jacobs chuck
2	IS 1305-08	Kopfraumfräser für LS 2.0, Schnellkupplung	Countersink for CS 2.0, quick coupling
3	IS 1305-16	Kopfraumfräser für LS 2.7-4.5, Schnellkupplung	Countersink for CS 2.7-4.5, quick coupling
4	IS 2305-32	Kopfraumfräser, LS 6.5/7.5 mit Hudson-Anschluss	Countersink CS 6.5/7.5, Hudson-Connection
5	IS 2310-22	Kopfraumfräser LS 5.8, Dreiflächenende	Countersink cannulated CS 5.8, Jacobs chuck
6	IS 2310-32	Kopfraumfräser LS 6.5/7.5, Dreiflächenende	Countersink cannulated CS 6.5/7.5, Jacobs chuck
7	IU 7017-05	Bohrer LS 2.0, ø1.7, L 85, Schnellkupplung, steril	Drill CS 2.0, ø1.7, L 85, quick coupling, sterile
8	IU 7017-05-1U	Bohrer LS 2.0, ø1.7, L 85, Schnellkupplung single use	Drill CS 2.0, ø1.7, L 85, quick coupling single use
9	IU 7020-05	Bohrer LS 2.7, ø2.0, L 105, Schnellkupplung, steril	Drill CS 2.7, ø2.0, L 105, quick coupling, sterile
10	IU 7020-05-1U	Bohrer LS 2.7, ø2.0, L 105, Schnellkupplung single use	Drill CS 2.7, ø2.0, L 105, quick coupling single use
11	IU 7025-13	Bohrer LS 4.0, ø2.5, L 130, Schnellkupplung	Drill CS 4.0, ø2.5, L 130, quick coupling
12	IU 7025-13-1U	Bohrer LS 4.0, ø2.5, L 130, Schnellkupplung single use	Drill CS 4.0, ø2.5, L 130, quick coupling single use
13	IU 7027-13	Bohrer LS 2.7/3.5, ø2.7, L 130, Schnellkupplung	Drill CS 2.7/3.5, ø2.7, L 130, quick coupling
14	IU 7027-13-1U	Bohrer LS 2.7/3.5, ø2.7, L 130, Schnellkupplung single use	Drill CS 2.7/3.5, ø2.7, L 130, quick coupling single use
15	IU 7030-13	Bohrer LS 4.5, ø3.0, L 130, Schnellkupplung	Drill CS 4.5, ø3.0, L 130, quick coupling
16	IU 7030-13-1U	Bohrer LS 4.5, ø3.0, L 130, Schnellkupplung single use	Drill CS 4.5, ø3.0, L 130, quick coupling single use
17	IU 7035-13	Bohrer LS 3.5, ø3.5, L 130, Schnellkupplung	Drill CS 3.5, ø3.5, L 130, quick coupling
18	IU 7035-13-1U	Bohrer LS 3.5, ø3.5, L 130, Schnellkupplung single use	Drill CS 3.5, ø3.5, L 130, quick coupling single use
19	IU 7040-13	Bohrer LS 4.0, ø4.0, L 130, Schnellkupplung	Drill CS 4.0, ø4.0, L 130, quick coupling
20	IU 7040-13-1U	Bohrer LS 4.0, ø4.0, L 130, Schnellkupplung single use	Drill CS 4.0, ø4.0, L 130, quick coupling single use
21	IU 7045-13	Bohrer LS 4.5, ø4.5, L 130, Schnellkupplung	Drill CS 4.5, ø4.5, L 130, quick coupling

**Konformitätserklärung
Declaration of Conformity
Drills and Countersinks**

22	IU 7045-13-1U	Bohrer LS 4.5, ø4.5, L 130, Schnellkupplung single use	Drill CS 4.5, ø4.5, L 130, quick coupling single use
23	IU 7058-22-1U	Bohrer LS 5.8, ø4.3, L 220, I-ø2.2, Hudsonkupplung single use	Drill CS 5.8, ø4.3, L 220, I-ø 2.2, Hudson coupling single use
24	IU 7065-22-1U	Bohrer LS 6.5, ø4.4, L 220, I-ø2.6, Hudsonkupplung single use	Drill CS 6.5, ø4.4, L 220, I-ø 2.6, Hudson coupling single use
25	IU 7075-22-1U	Bohrer LS 7.5, ø5.0, L 220, I-ø3.1, Hudsonkupplung single use	Drill CS 7.5, ø5.0, L 220, I-ø 3.1, Hudson coupling single use
26	IU 7325-13	Bohrer LS 4.0, ø2.5, L 130, I-ø1.4, Wendel 30	Drill CS 4.0, ø2.5, L 130, I-ø1.4, coil 30
27	IU 7325-13-1U	Bohrer LS 4.0, ø2.5, L 130, I-ø1.4, Wendel 30 single use	Drill CS 4.0, ø2.5, L 130, I-ø1.4 single use
28	IU 7327-12	Bohrer LS 3.5, ø2.7, L 120, I-ø1.4, Wendel 30	Drill CS 3.5, ø2.7, L 120, I-ø1.4, coil 30
29	IU 7327-12-1U	Bohrer LS 3.5, ø2.7, L 120, I-ø1.4, Wendel 30 single use	Drill CS 3.5, ø2.7, L 120, I-ø1.4 single use
30	IU 7330-14	Bohrer LS 4.5, ø3.0, L 140, I-ø1.8, Wendel 30	Drill CS 4.5, ø3.0, L 140, I-ø1.8, coil 30
31	IU 7330-14-1U	Bohrer LS 4.5, ø3.0, L 140, I-ø1.8, Wendel 30 single use	Drill CS 4.5, ø3.0, L 140, I-ø1.8 single use
32	IU 7335-12	Bohrer LS 3.5, ø3.5, L 120, I-ø1.4, Wendel 40	Drill CS 3.5, ø3.5, L 120, I-ø1.4, coil 40
33	IU 7335-12-1U	Bohrer LS 3.5, ø3.5, L 120, I-ø1.4, Wendel 40 single use	Drill CS 3.5, ø3.5, L 120, I-ø1.4 single use
34	IU 7343-22	Bohrer LS 5.8, ø4.3, L 220, I-ø2.2, Wendel 54	Drill CS 5.8, ø4.3, L 220, I-ø2.2, coil 54
35	IU 7343-22-1U	Bohrer LS 5.8, ø4.3, L 220, I-ø2.2, Wendel 54 single use	Drill CS 5.8, ø4.3, L 220, I-ø2.2 single use
36	IU 7344-22	Bohrer LS 6.5, ø4.4, L 220, I-ø2.7, Wendel 54	Drill CS 6.5, ø4.4, L 220, I-ø2.7, coil 54
37	IU 7344-22-1U	Bohrer LS 6.5, ø4.4, L 220, I-ø2.7, Wendel 54 single use	Drill CS 6.5, ø4.4, L 220, I-ø2.7 single use
38	IU 7350-22	Bohrer LS 7.5, ø5.0, L 220, I-ø3.3, Wendel 60	Drill CS 7.5, ø5.0, L 220, I-ø3.3, coil 60
39	IU 7350-22-1U	Bohrer LS 7.5, ø5.0, L 220, I-ø3.3, Wendel 60 single use	Drill CS 7.5, ø5.0, L 220, I-ø3.3 single use
40	IU 7420-10	Bohrer Schnellkupplung ø2.0, L 110, Wendel 25	Twist drill ø2.0, L 110, coil 25, quick coupling
41	IU 7420-10-1U	Bohrer Schnellkupplung ø2.0, L 110, Wendel 25 single use	Twist drill ø2.0, L 110, coil 25, quick coupling single use
42	IU 7420-11	Bohrer Schnellkupplung ø2.0, L 110, Wendel 30	Twist drill ø2.0, L 110, coil 30, quick coupling

**Konformitätserklärung
Declaration of Conformity
Drills and Countersinks**

43	IU 7420-11-1U	Bohrer Schnellkupplung ø2.0, L 110, Wendel 30 single use	Twist drill ø2.0, L 110, coil 30, quick coupling single use
44	IU 7420-16	Bohrer Schnellkupplung ø2.0, L 150, Wendel 50	Twist drill ø2.0, L 150, coil 50, quick coupling
45	IU 7420-16-1U	Bohrer Schnellkupplung ø2.0, L 150, Wendel 50 single use	Twist drill ø2.0, L 150, coil 50, quick coupling single use
46	IU 7420-18	Bohrer Schnellkupplung ø2.0, L 180, Wendel 50	Twist drill ø2.0, L 180, coil 50, quick coupling
47	IU 7420-18-1U	Bohrer Schnellkupplung ø2.0, L 180, Wendel 50 single use	Twist drill ø2.0, L 180, coil 50, quick coupling single use
48	IU 7423-18	Bohrer Schnellkupplung ø2.3, L 180, Wendel 50	Twist drill ø2.3, L 180, coil 50, quick coupling
49	IU 7423-18-1U	Bohrer Schnellkupplung ø2.3, L 180, Wendel 50 single use	Twist drill ø2.3, L 180, coil 50, quick coupling single use
50	IU 7425-00	Bohrer Schnellkupplung ø2.5, L 110, Wendel 50	Twist drill ø2.5, L 110, coil 50, quick coupling
51	IU 7425-00-1U	Bohrer Schnellkupplung ø2.5, L 110, Wendel 50 single use	Twist drill ø2.5, L 110, coil 50, quick coupling single use
52	IU 7425-18	Bohrer Schnellkupplung ø2.5, L 180, Wendel 50	Twist drill ø2.5, L 180, coil 50, quick coupling
53	IU 7427-15	Bohrer Schnellkupplung ø2.7, L 150, Wendel 50	Twist drill ø2.7, L 150, coil 50, quick coupling
54	IU 7427-15-1U	Bohrer Schnellkupplung ø2.7, L 150, Wendel 50 single use	Twist drill ø2.7, L 150, coil 50, quick coupling single use
55	IU 7427-16	Bohrer Schnellkupplung ø2.7, L 150, Wendel 50, skaliert	Twist drill ø2.7, L 150, coil 50, quick coupling, scaled
56	IU 7427-16-1U	Bohrer Schnellkupplung ø2.7, L 150, skaliert single use	Twist drill ø2.7, L 150, quick coupling, scaled single use
57	IU 7427-20	Bohrer Schnellkupplung ø2.7, L 200, Wendel 50	Twist drill ø2.7, L 200, coil 50, quick coupling
58	IU 7427-20-1U	Bohrer Schnellkupplung ø2.7, L 200, Wendel 50 single use	Twist drill ø2.7, L 200, coil 50, quick coupling single use
59	IU 7427-22	Bohrer Schnellkupplung ø2.7, L 220, Wendel 50	Twist drill ø2.7, L 220, coil 50, quick coupling
60	IU 7427-22-1U	Bohrer Schnellkupplung ø2.7, L 220, Wendel 50 single use	Twist drill ø2.7, L 220, coil 50, quick coupling single use
61	IU 7427-23	Bohrer Schnellkupplung ø2.7, L 220, Wendel 50, skaliert	Twist drill ø2.7, L 220, coil 50, quick coupling, scaled
62	IU 7427-23-1U	Bohrer Schnellkupplung ø2.7, L 220, skaliert single use	Twist drill ø2.7, L 220, quick coupling, scaled single use
63	IU 7432-30	Bohrer Schnellkupplung ø3.2, L 195, Wendel 50	Twist drill ø3.2, L 195, coil 50, quick coupling

aap Implantate AG Lorenzweg 5 12099 Berlin Deutschland	Konformitätserklärung Declaration of Conformity Drills and Countersinks	form: FB-007a version: 1.1 valid from: 2020-03-12 reference.: AA-090 Page: 5 / 5
--	--	---

64	IU 7432-30-1U	Bohrer Schnellkupplung ø3.2, L 195, Wendel 50 single use	Twist drill ø3.2, L 195, coil 50, quick coupling single use
65	IU 7432-33	Bohrer Schnellkupplung ø3.2, L 310, Wendel 50	Twist drill ø3.2, L 310, coil 50, quick coupling
66	IU 7432-33-1U	Bohrer Schnellkupplung ø3.2, L 310, Wendel 50 single use	Twist drill ø3.2, L 310, coil 50, quick coupling single use
67	IU 7435-00	Bohrer Schnellkupplung ø3.5, L 110, Wendel 50	Twist drill ø3.5, L 110, coil 50, quick coupling
68	IU 7435-00-1U	Bohrer Schnellkupplung ø3.5, L 110, Wendel 50 single use	Twist drill ø3.5, L 110, coil 50, quick coupling single use
69	IU 7438-18	Bohrer Schnellkupplung ø3.8, L 180, Wendel 50	Twist drill ø3.8, L 180, coil 50, quick coupling
70	IU 7438-18-1U	Bohrer Schnellkupplung ø3.8, L 180, Wendel 50 single use	Twist drill ø3.8, L 180, coil 50, quick coupling single use
71	IU 7438-20	Bohrer Schnellkupplung ø3.8, L 200, Wendel 50	Twist drill ø3.8, L 200, coil 50, quick coupling
72	IU 7438-20-1U	Bohrer Schnellkupplung ø3.8, L 200, Wendel 50 single use	Twist drill ø3.8, L 200, coil 50, quick coupling single use
73	IU 7438-22	Bohrer Schnellkupplung ø3.8, L 200, Wendel 50	Twist drill ø3.8, L 200, coil 50, quick coupling
74	IU 7438-22-1U	Bohrer Schnellkupplung ø3.8, L 200, Wendel 50 single use	Twist drill ø3.8, L 200, coil 50, quick coupling single use
75	IU 7438-25	Bohrer Schnellkupplung ø3.8, L 250, Wendel 50	Twist drill ø3.8, L 250, coil 50, quick coupling
76	IU 7438-25-1U	Bohrer Schnellkupplung ø3.8, L 250, Wendel 50 single use	Twist drill ø3.8, L 250, coil 50, quick coupling single use
77	IU 7438-33	Bohrer Schnellkupplung ø3.8, L 310, Wendel 50	Twist drill ø3.8, L 310, coil 50, quick coupling
78	IU 7438-33-1U	Bohrer Schnellkupplung ø3.8, L 310, Wendel 50 single use	Twist drill ø3.8, L 310, coil 50, quick coupling single use
79	IU 7445-00	Bohrer Schnellkupplung ø4.5, L 145, Wendel 50	Twist drill ø4.5, L 145, coil 50, quick coupling
80	IU 7445-00-1U	Bohrer Schnellkupplung ø4.5, L 145, Wendel 50 single use	Twist drill ø4.5, L 145, coil 50, quick coupling single use