

PHỤ LỤC: BẢNG KÊ CHI TIẾT TRANG THIẾT BỊ Y TẾ

STT	TÊN TRANG THIẾT BỊ Y TẾ	CHUNG LOẠI	MÃ SẢN PHẨM (Nếu có)	QUY CÁCH ĐÓNG GÓI (Nếu có)	TÊN CƠ SỞ SẢN XUẤT	ĐỊA CHỈ CƠ SỞ SẢN XUẤT	NƯỚC SẢN XUẤT
1	Dụng cụ ổ cối và xương đùi	box chisel; penetration broach; pilot rasp; Straight rasp handle; Rasp handle double offset 13/17 left; Rasp handle double offset 13/17 right; Pyramid Rasp Size 0; Pyramid Rasp Size 1; Pyramid Rasp Size 2; Pyramid Rasp Size 3; Pyramid Rasp Size 4; Pyramid Rasp Size 5; Pyramid Rasp Size 6; Pyramid Rasp Size 7; Pyramid Rasp Size 8; Pyramid Rasp Size 9; Pyramid Rasp Size 10; Pyramid Rasp Size 11; Rasp handle double offset 30/17 left; Rasp handle double offset 30/17 right; Rasp handle straight DAA; Rasp handle double offset 37/26 left; Rasp handle double offset 37/26 right; Rasp handle double offset 52/26 left; Rasp handle double offset 52/26 right; Rasp handle double offset 37/26-10° left; Rasp handle double offset 37/26-10° right; Unas Rasp Size 1; Unas Rasp Size 2; Unas Rasp Size 3; Unas Rasp Size 4; Unas Rasp Size 5; Unas Rasp Size 6; Unas Rasp Size 7; Unas Rasp Size 8; Unas Rasp Size 9; Unas Rasp Size 10; Unas Rasp Size 11; Reamer shaft MIS T17875; Straight/ standard reamer shaft T17780; Acetabular reamer size 40; Acetabular reamer size 41; Acetabular reamer size 42; Acetabular reamer size 43; Acetabular reamer size 44; Acetabular reamer size 45; Acetabular reamer size 46; Acetabular reamer size 47; Acetabular reamer size 48; Acetabular reamer size 49; Acetabular reamer size 50; Acetabular reamer size 51; Acetabular reamer size 52; Acetabular reamer size 53; Acetabular reamer size 54; Acetabular reamer size 55; Acetabular reamer size 56; Acetabular reamer size 57; Acetabular reamer size 58; Acetabular reamer size 59; Acetabular reamer size 60; Acetabular reamer size 61; Acetabular reamer size 62; Acetabular reamer size 63; Acetabular reamer size 64; Acetabular reamer size	800151; 800152; 800153; 800154; 800155; 800156; 800158; 800159; 800160; 800161; 800162; 800163; 800164; 800165; 800166; 800167; 800168; 800169; 800178; 800179; 800182; 800183; 800184; 800185; 800186; 800187; 800188; 800251; 800252; 800253; 800254; 800255; 800256; 800257; 800258; 800259; 800260; 800261; MPF3100OFFSET; MPF3100STR01; T17797; T17798; T17799; T17800; T17801; T17802; T17803; T17804; T17805; T17806; T17807; T17808; T17809; T17810; T17811; T17812; T17813; T17814; T17815; T17816; T17817; T17818; T17819; T17820; T17821; T17822; T17823; T17824; T17825; T17826; T17827; 367-1316; 65.331.43; 65.331.41; 30.138.801.01.90; 60.138.00; 60.138.01; 60.138.02; 60.138.39; 60.138.40; 60.138.41; 60.138.42; 60.138.43; 60.138.44; 60.138.45; 60.138.46; 60.138.47; 60.138.48; 60.138.49; 60.138.50; 60.138.51;		Atesos Medical AG	Schachenallee 29, 5000 Aarau	SWITZERLAND

		<p>65; Acetabular reamer size 66; Acetabular reamer size 67; Acetabular reamer size 68; Acetabular reamer size 69; Acetabular reamer size 70; Bohrer flexible 110mm, Ø3.2, Länge 44mm; Kardanschraubenzieher; Bohrlehre und Schraubenhalter; Instruments tray for Bipolar Head; Forceps for Bipolar head; Bipolar setting instrument straight; Bipolar setting instrument bowed; Bipolar trial head 39/22 mm; Bipolar trial head 40/22 mm; Bipolar trial head 41/22 mm; Bipolar trial head 42/22 mm; Bipolar trial head 43/28 mm; Bipolar trial head 44/28 mm; Bipolar trial head 45/28 mm; Bipolar trial head 46/28 mm; Bipolar trial head 47/28 mm; Bipolar trial head 48/28 mm; Bipolar trial head 49/28 mm; Bipolar trial head 50/28 mm; Bipolar trial head 51/28 mm; Bipolar trial head 52/28 mm; Bipolar trial head 53/28 mm; Bipolar trial head 54/28 mm; Bipolar trial head 55/28 mm; Bipolar trial head 56/28 mm; Bipolar trial head 57/28 mm; Bipolar trial head 58/28 mm; Bipolar trial head 59/28 mm; Bipolar trial head 60/28 mm; Trial Bipolar Head Size 38, inner-Ø 22; Trial Bipolar Head Size 40, inner-Ø 22; Trial Bipolar Head Size 42, inner-Ø 28; Trial Bipolar Head Size 44, inner-Ø 28; Trial Bipolar Head Size 46, inner-Ø 28; Trial Bipolar Head Size 48, inner-Ø 28; Trial Bipolar Head Size 50, inner-Ø 28; Trial Bipolar Head Size 52, inner-Ø 28; Trial Bipolar Head Size 54, inner-Ø 28; Trial Bipolar Head Size 56, inner-Ø 28; Trial Bipolar Head Size 58, inner-Ø 28; Trial Bipolar Head Size 60, inner-Ø 28; Flexi-Bit Drill Ø 3.2, Length 30 mm; Flexi-Bit Drill Ø 3.2, Length 60 mm; Flexi-Bit Drill Ø 4.5, Length 25 mm; Flexi-Bit Drill Ø 4.5, Length 60 mm; Flexi-Bit axis, Length 180 mm</p>	<p>60.138.52; 60.138.53; 60.138.54; 60.138.55; 60.138.56; 60.138.57; 60.138.58; 60.138.59; 60.138.60; 600-338; 600-340; 600-342; 600-344; 600-346; 600-348; 600-350; 600-352; 600-354; 600-356; 600-358; 600-360; 367-1448; 367-1451; 367-1454; 367-1456; 367-1458</p>			
2	Dụng cụ ổ cối và xương đùi	<p>box chisel; penetration broach; pilot rasp; Straight rasp handle; Rasp handle double offset 13/17 left; Rasp handle double offset 13/17 right; Pyramid Rasp Size 0; Pyramid Rasp Size 1; Pyramid Rasp Size 2; Pyramid Rasp Size 3; Pyramid Rasp Size 4; Pyramid Rasp Size 5; Pyramid Rasp Size 6; Pyramid Rasp Size 7; Pyramid Rasp</p>	<p>800151; 800152; 800153; 800154; 800155; 800156; 800158; 800159; 800160; 800161; 800162; 800163; 800164; 800165; 800166; 800167; 800168; 800169;</p>	MPS Precimed SA	95 Chemin du Long Champ, 2504 Biel-Bienne	SWITZERLAND

Size 8; Pyramid Rasp Size 9; Pyramid Rasp Size 10; Pyramid Rasp Size 11; Rasp handle double offset 30/17 left; Rasp handle double offset 30/17 right; Rasp handle straight DAA; Rasp handle double offset 37/26 left; Rasp handle double offset 37/26 right; Rasp handle double offset 52/26 left; Rasp handle double offset 52/26 right; Rasp handle double offset 37/26-10° left; Rasp handle double offset 37/26-10° right; Unas Rasp Size 1; Unas Rasp Size 2; Unas Rasp Size 3; Unas Rasp Size 4; Unas Rasp Size 5; Unas Rasp Size 6; Unas Rasp Size 7; Unas Rasp Size 8; Unas Rasp Size 9; Unas Rasp Size 10; Unas Rasp Size 11; Reamer shaft MIS T17875; Straight/ standard reamer shaft T17780; Acetabular reamer size 40; Acetabular reamer size 41; Acetabular reamer size 42; Acetabular reamer size 43; Acetabular reamer size 44; Acetabular reamer size 45; Acetabular reamer size 46; Acetabular reamer size 47; Acetabular reamer size 48; Acetabular reamer size 49; Acetabular reamer size 50; Acetabular reamer size 51; Acetabular reamer size 52; Acetabular reamer size 53; Acetabular reamer size 54; Acetabular reamer size 55; Acetabular reamer size 56; Acetabular reamer size 57; Acetabular reamer size 58; Acetabular reamer size 59; Acetabular reamer size 60; Acetabular reamer size 61; Acetabular reamer size 62; Acetabular reamer size 63; Acetabular reamer size 64; Acetabular reamer size 65; Acetabular reamer size 66; Acetabular reamer size 67; Acetabular reamer size 68; Acetabular reamer size 69; Acetabular reamer size 70; Bohrer flexible 110mm, Ø3.2, Länge 44mm; Kardanschraubenzieher; Bohrlehre und Schraubenhalter; Instruments tray for Bipolar Head; Forceps for Bipolar head; Bipolar setting instrument straight; Bipolar setting instrument bowed; Bipolar trial head 39/22 mm; Bipolar trial head 40/22 mm; Bipolar trial head 41/22 mm; Bipolar trial head 42/22 mm; Bipolar trial head 43/28 mm; Bipolar trial head 44/28 mm; Bipolar trial head 45/28 mm; Bipolar trial head 46/28 mm; Bipolar trial head 47/28 mm; Bipolar trial head 48/28	800178; 800179; 800182; 800183; 800184; 800185; 800186; 800187; 800188; 800251; 800252; 800253; 800254; 800255; 800256; 800257; 800258; 800259; 800260; 800261; MPF3100OFFSET; MPF3100STR01; T17797; T17798; T17799; T17800; T17801; T17802; T17803; T17804; T17805; T17806; T17807; T17808; T17809; T17810; T17811; T17812; T17813; T17814; T17815; T17816; T17817; T17818; T17819; T17820; T17821; T17822; T17823; T17824; T17825; T17826; T17827; 367-1316; 65.331.43; 65.331.41; 30.138.801.01.90; 60.138.00; 60.138.01; 60.138.02; 60.138.39; 60.138.40; 60.138.41; 60.138.42; 60.138.43; 60.138.44; 60.138.45; 60.138.46; 60.138.47; 60.138.48; 60.138.49; 60.138.50; 60.138.51; 60.138.52; 60.138.53; 60.138.54; 60.138.55; 60.138.56; 60.138.57; 60.138.58; 60.138.59; 60.138.60; 600-338; 600-340; 600-342; 600-344; 600-346; 600-348; 600-350; 600-352; 600-354; 600-356; 600-358; 600-360; 367-1448; 367-1451; 367-1454; 367-1456; 367-1458
---	--

		<p>mm; Bipolar trial head 49/28 mm; Bipolar trial head 50/28 mm; Bipolar trial head 51/28 mm; Bipolar trial head 52/28 mm; Bipolar trial head 53/28 mm; Bipolar trial head 54/28 mm; Bipolar trial head 55/28 mm; Bipolar trial head 56/28 mm; Bipolar trial head 57/28 mm; Bipolar trial head 58/28 mm; Bipolar trial head 59/28 mm; Bipolar trial head 60/28 mm; Trial Bipolar Head Size 38, inner-Ø 22; Trial Bipolar Head Size 40, inner-Ø 22; Trial Bipolar Head Size 42, inner-Ø 28; Trial Bipolar Head Size 44, inner-Ø 28; Trial Bipolar Head Size 46, inner-Ø 28; Trial Bipolar Head Size 48, inner-Ø 28; Trial Bipolar Head Size 50, inner-Ø 28; Trial Bipolar Head Size 52, inner-Ø 28; Trial Bipolar Head Size 54, inner-Ø 28; Trial Bipolar Head Size 56, inner-Ø 28; Trial Bipolar Head Size 58, inner-Ø 28; Trial Bipolar Head Size 60, inner-Ø 28; Flexi-Bit Drill Ø 3.2, Length 30 mm; Flexi-Bit Drill Ø 3.2, Length 60 mm; Flexi-Bit Drill Ø 4.5, Length 25 mm; Flexi-Bit Drill Ø 4.5, Length 60 mm; Flexi-Bit axis, Length 180 mm</p>					
3	Dụng cụ ổ cối và xương đùi	<p>box chisel; penetration broach; pilot rasp; Straight rasp handle; Rasp handle double offset 13/17 left; Rasp handle double offset 13/17 right; Pyramid Rasp Size 0; Pyramid Rasp Size 1; Pyramid Rasp Size 2; Pyramid Rasp Size 3; Pyramid Rasp Size 4; Pyramid Rasp Size 5; Pyramid Rasp Size 6; Pyramid Rasp Size 7; Pyramid Rasp Size 8; Pyramid Rasp Size 9; Pyramid Rasp Size 10; Pyramid Rasp Size 11; Rasp handle double offset 30/17 left; Rasp handle double offset 30/17 right; Rasp handle straight DAA; Rasp handle double offset 37/26 left; Rasp handle double offset 37/26 right; Rasp handle double offset 52/26 left; Rasp handle double offset 52/26 right; Rasp handle double offset 37/26-10° left; Rasp handle double offset 37/26-10° right; Unas Rasp Size 1; Unas Rasp Size 2; Unas Rasp Size 3; Unas Rasp Size 4; Unas Rasp Size 5; Unas Rasp Size 6; Unas Rasp Size 7; Unas Rasp Size 8; Unas Rasp Size 9; Unas Rasp Size 10; Unas Rasp Size 11; Reamer shaft MIS T17875; Straight/ standard</p>	<p>800151; 800152; 800153; 800154; 800155; 800156; 800158; 800159; 800160; 800161; 800162; 800163; 800164; 800165; 800166; 800167; 800168; 800169; 800178; 800179; 800182; 800183; 800184; 800185; 800186; 800187; 800188; 800251; 800252; 800253; 800254; 800255; 800256; 800257; 800258; 800259; 800260; 800261; MPF3100OFFSET; MPF3100STR01; T17797; T17798; T17799; T17800; T17801; T17802; T17803; T17804; T17805; T17806; T17807; T17808;</p>		OHST Medizintechnik AG	3 Grunauer Fenn, 14712 Rathenow	SWITZERLAND

reamer shaft T17780; Acetabular reamer size 40; Acetabular reamer size 41; Acetabular reamer size 42; Acetabular reamer size 43; Acetabular reamer size 44; Acetabular reamer size 45; Acetabular reamer size 46; Acetabular reamer size 47; Acetabular reamer size 48; Acetabular reamer size 49; Acetabular reamer size 50; Acetabular reamer size 51; Acetabular reamer size 52; Acetabular reamer size 53; Acetabular reamer size 54; Acetabular reamer size 55; Acetabular reamer size 56; Acetabular reamer size 57; Acetabular reamer size 58; Acetabular reamer size 59; Acetabular reamer size 60; Acetabular reamer size 61; Acetabular reamer size 62; Acetabular reamer size 63; Acetabular reamer size 64; Acetabular reamer size 65; Acetabular reamer size 66; Acetabular reamer size 67; Acetabular reamer size 68; Acetabular reamer size 69; Acetabular reamer size 70; Bohrer flexible 110mm, Ø3.2, Länge 44mm; Kardanschraubenzieher; Bohrlehre und Schraubhalter; Instruments tray for Bipolar Head; Forceps for Bipolar head; Bipolar setting instrument straight; Bipolar setting instrument bowed; Bipolar trial head 39/22 mm; Bipolar trial head 40/22 mm; Bipolar trial head 41/22 mm; Bipolar trial head 42/22 mm; Bipolar trial head 43/28 mm; Bipolar trial head 44/28 mm; Bipolar trial head 45/28 mm; Bipolar trial head 46/28 mm; Bipolar trial head 47/28 mm; Bipolar trial head 48/28 mm; Bipolar trial head 49/28 mm; Bipolar trial head 50/28 mm; Bipolar trial head 51/28 mm; Bipolar trial head 52/28 mm; Bipolar trial head 53/28 mm; Bipolar trial head 54/28 mm; Bipolar trial head 55/28 mm; Bipolar trial head 56/28 mm; Bipolar trial head 57/28 mm; Bipolar trial head 58/28 mm; Bipolar trial head 59/28 mm; Bipolar trial head 60/28 mm; Trial Bipolar Head Size 38, inner-Ø 22; Trial Bipolar Head Size 40, inner-Ø 22; Trial Bipolar Head Size 42, inner-Ø 28; Trial Bipolar Head Size 44, inner-Ø 28; Trial Bipolar Head Size 46, inner-Ø 28; Trial Bipolar Head Size 48, inner-Ø 28; Trial Bipolar Head Size 50, inner-Ø 28; Trial Bipolar Head Size 52, inner-Ø 28; Trial

T17809; T17810;
T17811; T17812;
T17813; T17814;
T17815; T17816;
T17817; T17818;
T17819; T17820;
T17821; T17822;
T17823; T17824;
T17825; T17826;
T17827; 367-1316;
65.331.43; 65.331.41;
30.138.801.01.90;
60.138.00; 60.138.01;
60.138.02; 60.138.39;
60.138.40; 60.138.41;
60.138.42; 60.138.43;
60.138.44; 60.138.45;
60.138.46; 60.138.47;
60.138.48; 60.138.49;
60.138.50; 60.138.51;
60.138.52; 60.138.53;
60.138.54; 60.138.55;
60.138.56; 60.138.57;
60.138.58; 60.138.59;
60.138.60; 600-338;
600-340; 600-342; 600-
344; 600-346; 600-348;
600-350; 600-352; 600-
354; 600-356; 600-358;
600-360; 367-1448; 367-
1451; 367-1454; 367-
1456; 367-1458

		<p>Bipolar Head Size 54, inner-Ø 28; Trial Bipolar Head Size 56, inner-Ø 28; Trial Bipolar Head Size 58, inner-Ø 28; Trial Bipolar Head Size 60, inner-Ø 28; Flexi-Bit Drill Ø 3.2, Length 30 mm; Flexi-Bit Drill Ø 3.2, Length 60 mm; Flexi-Bit Drill Ø 4.5, Length 25 mm; Flexi-Bit Drill Ø 4.5, Length 60 mm; Flexi-Bit axis, Length 180 mm</p>				
4	Dụng cụ ổ cối và xương đùi	<p>box chisel; penetration broach; pilot rasp; Straight rasp handle; Rasp handle double offset 13/17 left; Rasp handle double offset 13/17 right; Pyramid Rasp Size 0; Pyramid Rasp Size 1; Pyramid Rasp Size 2; Pyramid Rasp Size 3; Pyramid Rasp Size 4; Pyramid Rasp Size 5; Pyramid Rasp Size 6; Pyramid Rasp Size 7; Pyramid Rasp Size 8; Pyramid Rasp Size 9; Pyramid Rasp Size 10; Pyramid Rasp Size 11; Rasp handle double offset 30/17 left; Rasp handle double offset 30/17 right; Rasp handle straight DAA; Rasp handle double offset 37/26 left; Rasp handle double offset 37/26 right; Rasp handle double offset 52/26 left; Rasp handle double offset 52/26 right; Rasp handle double offset 37/26-10° left; Rasp handle double offset 37/26-10° right; Unas Rasp Size 1; Unas Rasp Size 2; Unas Rasp Size 3; Unas Rasp Size 4; Unas Rasp Size 5; Unas Rasp Size 6; Unas Rasp Size 7; Unas Rasp Size 8; Unas Rasp Size 9; Unas Rasp Size 10; Unas Rasp Size 11; Reamer shaft MIS T17875; Straight/ standard reamer shaft T17780; Acetabular reamer size 40; Acetabular reamer size 41; Acetabular reamer size 42; Acetabular reamer size 43; Acetabular reamer size 44; Acetabular reamer size 45; Acetabular reamer size 46; Acetabular reamer size 47; Acetabular reamer size 48; Acetabular reamer size 49; Acetabular reamer size 50; Acetabular reamer size 51; Acetabular reamer size 52; Acetabular reamer size 53; Acetabular reamer size 54; Acetabular reamer size 55; Acetabular reamer size 56; Acetabular reamer size 57; Acetabular reamer size 58; Acetabular reamer size 59; Acetabular reamer size 60; Acetabular reamer size 61; Acetabular reamer size 62;</p>	<p>800151; 800152; 800153; 800154; 800155; 800156; 800158; 800159; 800160; 800161; 800162; 800163; 800164; 800165; 800166; 800167; 800168; 800169; 800178; 800179; 800182; 800183; 800184; 800185; 800186; 800187; 800188; 800251; 800252; 800253; 800254; 800255; 800256; 800257; 800258; 800259; 800260; 800261; MPF3100OFFSET; MPF3100STR01; T17797; T17798; T17799; T17800; T17801; T17802; T17803; T17804; T17805; T17806; T17807; T17808; T17809; T17810; T17811; T17812; T17813; T17814; T17815; T17816; T17817; T17818; T17819; T17820; T17821; T17822; T17823; T17824; T17825; T17826; T17827; 367-1316; 65.331.43; 65.331.41; 30.138.801.01.90; 60.138.00; 60.138.01; 60.138.02; 60.138.39; 60.138.40; 60.138.41; 60.138.42; 60.138.43; 60.138.44; 60.138.45; 60.138.46; 60.138.47;</p>	Stemcup Medical Products AG	Aargauerstrasse 180, 8048 Zurich, CH	SWITZERLAND

Acetabular reamer size 63; Acetabular reamer size 64; Acetabular reamer size 65; Acetabular reamer size 66; Acetabular reamer size 67; Acetabular reamer size 68; Acetabular reamer size 69; Acetabular reamer size 70; Bohrer flexible 110mm, Ø3.2, Länge 44mm; Kardanschraubenzieher; Bohrlehre und Schraubenhalter; Instruments tray for Bipolar Head; Forceps for Bipolar head; Bipolar setting instrument straight; Bipolar setting instrument bowed; Bipolar trial head 39/22 mm; Bipolar trial head 40/22 mm; Bipolar trial head 41/22 mm; Bipolar trial head 42/22 mm; Bipolar trial head 43/28 mm; Bipolar trial head 44/28 mm; Bipolar trial head 45/28 mm; Bipolar trial head 46/28 mm; Bipolar trial head 47/28 mm; Bipolar trial head 48/28 mm; Bipolar trial head 49/28 mm; Bipolar trial head 50/28 mm; Bipolar trial head 51/28 mm; Bipolar trial head 52/28 mm; Bipolar trial head 53/28 mm; Bipolar trial head 54/28 mm; Bipolar trial head 55/28 mm; Bipolar trial head 56/28 mm; Bipolar trial head 57/28 mm; Bipolar trial head 58/28 mm; Bipolar trial head 59/28 mm; Bipolar trial head 60/28 mm; Trial Bipolar Head Size 38, inner-Ø 22; Trial Bipolar Head Size 40, inner-Ø 22; Trial Bipolar Head Size 42, inner-Ø 28; Trial Bipolar Head Size 44, inner-Ø 28; Trial Bipolar Head Size 46, inner-Ø 28; Trial Bipolar Head Size 48, inner-Ø 28; Trial Bipolar Head Size 50, inner-Ø 28; Trial Bipolar Head Size 52, inner-Ø 28; Trial Bipolar Head Size 54, inner-Ø 28; Trial Bipolar Head Size 56, inner-Ø 28; Trial Bipolar Head Size 58, inner-Ø 28; Trial Bipolar Head Size 60, inner-Ø 28; Flexi-Bit Drill Ø 3.2, Length 30 mm; Flexi-Bit Drill Ø 3.2, Length 60 mm; Flexi-Bit Drill Ø 4.5, Length 25 mm; Flexi-Bit Drill Ø 4.5, Length 60 mm; Flexi-Bit axis, Length 180 mm

60.138.48; 60.138.49;
60.138.50; 60.138.51;
60.138.52; 60.138.53;
60.138.54; 60.138.55;
60.138.56; 60.138.57;
60.138.58; 60.138.59;
60.138.60; 600-338;
600-340; 600-342; 600-
344; 600-346; 600-348;
600-350; 600-352; 600-
354; 600-356; 600-358;
600-360; 367-1448; 367-
1451; 367-1454; 367-
1456; 367-1458