

Declaration of Conformity (EU)

Synthes GmbH (Eimattstrasse 3, CH-4436 Oberdorf) hereby declares under its sole responsibility that the medical device/ device family **Drills** (Classification IIa) meets all the provisions of the

European Council Directive 93/42/EEC, and the
Swiss Legislation on Therapeutic Products (Schweizerisches Heilmittelgesetz, HMG)
which apply.

We hereby declare the conformity of above mentioned medical device/ device family according to the European Council Directive 93/42/EEC, Annex I including applicable standards as indicated in the Essential Requirements Checklist and Annex II excluding (4).

Notified Body: TÜV SÜD Product Service GmbH, Ridlerstrasse 65, 80339 Munich, Germany, identification number 0123.

The above mentioned medical device/ device family was initially CE released in the year 1995.

The list of the medical devices covered by this Declaration of Conformity is attached.

EC Certificate: G1 056032 0100 Rev. 01

Valid until: 2024-05-26

Place and Date: **Refer to date of electronic signature**

Rüdiger Vallon RA Manager, Plates & screws	
Christof Dutoit Director Nail Technologies Trauma/CMF Product Development	

The authenticated electronic signature on this document is the legally binding equivalent of a traditional handwritten signature.

DoC Identifier: TF10243 CMF

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

Article Number	Article Description
03.305.004	Drill Bit Ø 1.8/4.0mm w/Stop, L 125/20mm
03.315.010	Drill Bit Ø 0.76mm, w/Stop, L 75/14mm
03.315.011	Drill Bit Ø 1.0mm, w/Stop, L 75/12mm
03.501.008	Drill Bit Ø 1.5mm w/Stop, L 82/8mm
03.501.010	Drill Bit Ø 1.5mm w/Stop, L 82/10mm
03.501.012	Drill Bit Ø 1.5mm w/Stop, L 82/12mm
03.501.014	Drill Bit Ø 1.5mm w/Stop, L 82/14mm
03.501.016	Drill Bit Ø 1.5mm w/Stop, L 82/16mm
03.501.018	Drill Bit Ø 1.5mm w/Stop, L 82/18mm
03.501.036	MatrixRIB Drill Bit Ø 2.2mm, L 135/6mm
03.501.036S	MatrixRIB Drill Bit Ø 2.2mm w/Stop
03.501.038	MatrixRIB Drill Bit Ø 2.2mm, L 135/8mm
03.501.038S	MatrixRIB Drill Bit Ø 2.2mm w/Stop
03.501.040	MatrixRIB Drill Bit Ø 2.2mm, L 135/10mm
03.501.040S	MatrixRIB Drill Bit Ø 2.2mm w/Stop
03.501.042	MatrixRIB Drill Bit Ø 2.2mm, L 135/12mm
03.501.042S	MatrixRIB Drill Bit Ø 2.2mm w/Stop
03.501.044	MatrixRIB Drill Bit Ø 2.2mm, L 135/14mm
03.501.044S	MatrixRIB Drill Bit Ø 2.2mm w/Stop
03.501.046	MatrixRIB Drill Bit Ø 2.2mm, L 135/16mm
03.501.046S	MatrixRIB Drill Bit Ø 2.2mm, L 135/16mm
03.501.048	MatrixRIB Drill Bit Ø 2.2mm, L 135/18mm
03.501.048S	MatrixRIB Drill Bit Ø 2.2mm, L 135/18mm
03.501.050	MatrixRIB Drill Bit Ø 2.2mm, L 135mm
03.501.070	MatrixRIB Drill Bit Ø 5.5mm w/Stop, L 125mm
03.501.070S	MatrixRIB Drill Bit Ø 5.5mm w/Stop
03.501.085	MatrixRIB Drill Bit Ø 5.5mm, L 125mm
03.501.085S	MatrixRIB Drill Bit Ø 5.5mm, L 125mm
03.501.606	MatrixRIB Drill Bit Ø 2.2mm, L 135/6mm
03.501.606S	MatrixRIB Drill Bit Ø 2.2mm, L 135/6mm
03.501.608	MatrixRIB Drill Bit Ø 2.2mm, L 135/8mm
03.501.608S	MatrixRIB Drill Bit Ø 2.2mm, L 135/8mm
03.501.610	MatrixRIB Drill Bit Ø 2.2mm, L 135/10mm
03.501.610S	MatrixRIB Drill Bit Ø 2.2mm, L 135/10mm
03.501.612	MatrixRIB Drill Bit Ø 2.2mm, L 135/12mm
03.501.612S	MatrixRIB Drill Bit Ø 2.2mm, L 135/12mm
03.501.614	MatrixRIB Drill Bit Ø 2.2mm, L 135/14mm
03.501.614S	MatrixRIB Drill Bit Ø 2.2mm, L 135/14mm
03.501.616	MatrixRIB Drill Bit Ø 2.2mm, L 135/16mm
03.501.616S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 135/16mm
03.501.618	MatrixRIB Drill Bit Ø 2.2mm, L 135/18mm
03.501.618S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 135/18mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.501.620	MatrixRIB Drill Bit Ø 2.2mm, L 135mm
03.501.620S	MatrixRIB Drill Bit Ø 2.2mm, L 135mm
03.501.704	Threaded Reduction Tool f/MatrixRIB
03.501.704S	Threaded Reduction Tool f/MatrixRIB
03.501.756	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 6mm
03.501.756S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 6mm
03.501.758	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 8mm
03.501.758S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 8mm
03.501.760	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 10mm
03.501.760S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 10mm
03.501.762	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 12mm
03.501.762S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 12mm
03.501.764	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 14mm
03.501.764S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 14mm
03.501.766	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 16mm
03.501.766S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 16mm
03.501.768	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 18mm
03.501.768S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 18mm
03.501.770	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 20mm
03.501.770S	MatrixRIB Drill Bit Ø 2.2mm, w/Stop, L 20mm
03.503.103	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.104	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.106	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.108	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.110	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.110S	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.112	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.112S	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.118	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.118S	MatrixMIDFACE Drill Bit Ø 1.25mm w/Stop
03.503.120	MatrixMIDFACE Drill Bit Ø 1.25mm, L 80mm
03.503.120S	MatrixMIDFACE Drill Bit Ø 1.25mm, L 80mm
03.503.121	MatrixMIDFACE Drill Bit Ø 1.25mm, L 125mm
03.503.121S	MatrixMIDFACE Drill Bit Ø 1.25mm, L 125mm
03.503.122	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.123	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.123S	MatrixMIDFACE Drill Bit Ø 1.25mm, f/J-Latch Coupl.
03.503.134	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.136	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.138	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.140	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.140S	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.142	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.503.142S	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.148	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.148S	MatrixMIDFACE Drill Bit Ø 1.25mm w/Stop
03.503.150	MatrixMIDFACE Drill Bit Ø 1.25mm, L 80mm
03.503.150S	MatrixMIDFACE Drill Bit Ø 1.25mm, L 80mm
03.503.151	MatrixMIDFACE Drill Bit Ø 1.25mm, L 125mm
03.503.151S	MatrixMIDFACE Drill Bit Ø 1.25mm, L 125mm
03.503.152	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.153	MatrixMIDFACE Drill Bit w/Stop Ø 1.25mm
03.503.244	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
03.503.244S	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
03.503.246	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
03.503.246S	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
03.503.248	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
03.503.248S	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
03.503.264	Drill Bit Ø 1.1mm w/Stop, L 52/4mm
03.503.266	Drill Bit Ø 1.1mm w/Stop, L 52/6mm
03.503.268	Drill Bit Ø 1.1mm w/Stop, L 52/8mm
03.503.284	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
03.503.284S	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
03.503.286	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
03.503.286S	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
03.503.288	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
03.503.288S	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
03.503.404	Drill Bit Ø 1.5mm w/Stop, L 50/4mm
03.503.404S	Drill Bit Ø 1.5mm w/Stop, L 50/4mm
03.503.406	Drill Bit Ø 1.5mm w/Stop, L 50/6mm
03.503.406S	Drill Bit Ø 1.5mm w/Stop, L 50/6mm
03.503.408	Drill Bit Ø 1.5mm w/Stop, L 50/8mm
03.503.408S	Drill Bit Ø 1.5mm w/Stop, L 50/8mm
03.503.412	Drill Bit Ø 1.5mm w/Stop, L 50/12mm
03.503.412S	Drill Bit Ø 1.5mm w/Stop, L 50/12mm
03.503.451	Drill Bit Ø 1.5mm, L 90mm, f/J-Latch Coupling
03.503.451S	Drill Bit Ø 1.5mm, L 90mm, f/J-Latch Coupling
03.503.452	MatrixMANDIBLE Drill Bit Ø 1.5mm, L 145mm
03.503.452S	MatrixMANDIBLE Drill Bit Ø 1.5mm, L 145mm
03.503.461	Drill Bit Ø 1.8mm, L 90mm, f/J-Latch Coupling
03.503.461S	Drill Bit Ø 1.8mm, L 90mm, f/J-Latch Coupling
03.503.462	MatrixMANDIBLE Drill Bit Ø 1.8mm, L 145mm
03.503.462S	MatrixMANDIBLE Drill Bit Ø 1.8mm, L 145mm
03.503.471	Drill Bit Ø 2.4mm, L 90mm, f/J-Latch Coupling
03.503.471S	Drill Bit Ø 2.4mm, L 90mm, f/J-Latch Coupling
03.503.472	MatrixMANDIBLE Drill Bit Ø 2.4mm, L 145mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.503.472S	MatrixMANDIBLE Drill Bit Ø 2.4mm, L 145mm
03.503.476	MatrixMANDIBLE Drill Bit Ø 1.5mm, 2-flute
03.503.476S	MatrixMANDIBLE Drill Bit Ø 1.5mm, 2-flute
03.503.477	MatrixMANDIBLE Drill Bit Ø 1.8mm, 2-flute
03.503.477S	MatrixMANDIBLE Drill Bit Ø 1.8mm, 2-flute
03.503.478	MatrixMANDIBLE Drill Bit Ø 2.4mm, 2-flute
03.503.478S	MatrixMANDIBLE Drill Bit Ø 2.4mm, 2-flute
03.503.479	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 125mm
03.503.479S	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 125mm
03.503.480	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 125mm
03.503.480S	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 125mm
03.503.481	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 125mm
03.503.481S	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 125mm
03.503.504	Drill Bit Ø 1.5mm w/Stop, L 50/4mm
03.503.504S	Drill Bit Ø 1.5mm w/Stop, L 50/4mm
03.503.506	Drill Bit Ø 1.5mm w/Stop, L 50/6mm
03.503.506S	Drill Bit Ø 1.5mm w/Stop, L 50/6mm
03.503.508	Drill Bit Ø 1.5mm w/Stop, L 50/8mm
03.503.508S	Drill Bit Ø 1.5mm w/Stop, L 50/8mm
03.503.512	Drill Bit Ø 1.5mm w/Stop, L 50/12mm
03.503.512S	Drill Bit Ø 1.5mm w/Stop, L 50/12mm
03.503.551	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 90mm
03.503.551S	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 90mm
03.503.552	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 145mm
03.503.552S	Drill Bit Ø 1.5mm, f/MatrixMANDIBLE, L 145mm
03.503.561	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 90mm
03.503.561S	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 90mm
03.503.562	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 145mm
03.503.562S	Drill Bit Ø 1.8mm, f/MatrixMANDIBLE, L 145mm
03.503.571	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 90mm
03.503.571S	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 90mm
03.503.572	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 145mm
03.503.572S	Drill Bit Ø 2.4mm, f/MatrixMANDIBLE, L 145mm
03.505.020	Drill Bit Ø 1.0mm w/Stop, L 11/4mm
03.505.020S	Drill Bit Ø 1.0mm w/Stop, L 11/4mm
03.505.022	Drill Bit Ø 1.0mm w/Stop, L 15/8mm
03.505.022S	Drill Bit Ø 1.0mm w/Stop, L 15/8mm
03.505.024	Drill Bit Ø 1.0mm w/Stop, L 19/12mm
03.505.024S	Drill Bit Ø 1.0mm w/Stop, L 19/12mm
03.505.026	Drill Bit Ø 1.25mm, w/Stop, L 17/10mm
03.505.026S	Drill Bit Ø 1.25mm w/Stop, L 17/10mm
03.505.027	Drill Bit Ø 1.25mm, w/Stop, L 19/12mm
03.505.027S	Drill Bit Ø 1.25mm w/Stop, L 19/12mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.505.030	Drill Bit Ø 1.1mm w/Stop, L 11/4mm
03.505.030S	Drill Bit Ø 1.1mm w/Stop, L 11/4mm
03.505.032	Drill Bit Ø 1.1mm w/Stop, L 15/8mm
03.505.032S	Drill Bit Ø 1.1mm w/Stop, L 15/8mm
03.505.034	Drill Bit Ø 1.1mm w/Stop, L 19/12mm
03.505.034S	Drill Bit Ø 1.1mm w/Stop, L 19/12mm
03.505.035	Drill Bit Ø 1.1mm, w/Stop, L 11/4mm
03.505.035S	Drill Bit Ø 1.1mm w/Stop, L 11/4mm
03.505.036	Drill Bit Ø 1.1mm, w/Stop, L 13/6mm
03.505.036S	Drill Bit Ø 1.1mm w/Stop, L 13/6mm
03.505.037	Drill Bit Ø 1.1mm, w/Stop, L 15/8mm
03.505.037S	Drill Bit Ø 1.1mm w/Stop, L 15/8mm
03.505.041	Drill Bit Ø 1.5mm w/Stop, L 13/6mm
03.505.041S	Drill Bit Ø 1.5mm w/Stop, L 13/6mm
03.505.044	Drill Bit Ø 1.5mm w/Stop, L 15/8mm
03.505.044S	Drill Bit Ø 1.5mm w/Stop, L 15/8mm
03.505.047	Drill Bit Ø 1.5mm w/Stop, L 19/12mm
03.505.047S	Drill Bit Ø 1.5mm w/Stop, L 19/12mm
03.505.051	Drill Bit Ø 1.8mm w/Stop, L 13/6mm
03.505.051S	Drill Bit Ø 1.8mm w/Stop, L 13/6mm
03.505.054	Drill Bit Ø 1.8mm w/Stop, L 15/8mm
03.505.057S	Drill Bit Ø 1.8mm w/Stop, L 19/12mm
03.505.065	Drill Bit Ø 1.5mm, w/Stop, L 21/14mm
03.505.065S	Drill Bit Ø 1.5mm w/Stop, L 21/14mm
03.505.066	Drill Bit Ø 1.5mm, w/Stop, L 23/16mm
03.505.066S	Drill Bit Ø 1.5mm w/Stop, L 23/16mm
03.505.067	Drill Bit Ø 1.5mm, w/Stop, L 25/18mm
03.505.067S	Drill Bit Ø 1.5mm w/Stop, L 25/18mm
03.505.075	Drill Bit Ø 1.5mm, w/Stop, L 13/6mm
03.505.075S	Drill Bit Ø 1.5mm w/Stop, L 13/6mm
03.505.076	Drill Bit Ø 1.5mm, w/Stop, L 15/8mm
03.505.076S	Drill Bit Ø 1.5mm w/Stop, L 15/8mm
03.505.078	Drill Bit Ø 1.5mm, w/Stop, L 19/12mm
03.505.078S	Drill Bit Ø 1.5mm w/Stop, L 19/12mm
03.505.081	Drill Bit Ø 1.8mm, w/Stop, L 13/6mm
03.505.081S	Drill Bit Ø 1.8mm w/Stop, L 13/6mm
03.505.082	Drill Bit Ø 1.8mm, w/Stop, L 15/8mm
03.505.082S	Drill Bit Ø 1.8mm w/Stop, L 15/8mm
03.505.084	Drill Bit Ø 1.8mm, w/Stop, L 19/12mm
03.505.084S	Drill Bit Ø 1.8mm w/Stop, L 19/12mm
03.505.085	Drill Bit Ø 1.8mm, w/Stop, L 21/14mm
03.505.085S	Drill Bit Ø 1.8mm w/Stop, L 21/14mm
03.505.086	Drill Bit Ø 1.8mm, w/Stop, L 23/16mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.505.086S	Drill Bit Ø 1.8mm w/Stop, L 23/16mm
03.505.087	Drill Bit Ø 1.8mm, w/Stop, L 25/18mm
03.505.087S	Drill Bit Ø 1.8mm w/Stop, L 25/18mm
03.505.091	Drill Bit Ø 2.4mm, w/Stop, L 13/6mm
03.505.091S	Drill Bit Ø 2.4mm w/Stop, L 13/6mm
03.505.092	Drill Bit Ø 2.4mm, w/Stop, L 15/8mm
03.505.092S	Drill Bit Ø 2.4mm w/Stop, L 15/8mm
03.505.094	Drill Bit Ø 2.4mm, w/Stop, L 19/12mm
03.505.094S	Drill Bit Ø 2.4mm w/Stop, L 19/12mm
03.505.141	Matrix Drill Bit Ø 1.4mm, w/Stop, L 13/6mm
03.505.141S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 13/6mm
03.505.144	Matrix Drill Bit Ø 1.4mm, w/Stop, L 15/8mm
03.505.144S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 15/8mm
03.505.147	Matrix Drill Bit Ø 1.4mm, w/Stop, L 19/12mm
03.505.147S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 19/12mm
03.505.165	Matrix Drill Bit Ø 1.4mm, w/Stop, L 21/14mm
03.505.165S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 21/14mm
03.505.166	Matrix Drill Bit Ø 1.4mm, w/Stop, L 23/16mm
03.505.166S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 23/16mm
03.505.167	Matrix Drill Bit Ø 1.4mm, w/Stop, L 25/18mm
03.505.167S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 25/18mm
03.507.002S	Threaded Reduction Tool Ø 2.4mm, L 78mm
03.509.240	Drill Bit Ø 1.1mm, L 110/16mm, f/J-Latch Coupling
03.509.280	Drill Bit Ø 1.1mm, L 110/16mm, Quick Coupling
03.511.240	Matrix Drill Bit Ø 1.4mm, L 110/32mm
03.511.240S	Matrix Drill Bit Ø 1.4mm, L 110/32mm
03.511.244	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/4mm
03.511.244S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/4mm
03.511.246	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/6mm
03.511.246S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/6mm
03.511.248	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/8mm
03.511.248S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/8mm
03.511.252	Matrix Drill Bit Ø 1.4mm, w/Stop, L 44.5/12mm
03.511.252S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 44.5/12mm
03.511.280	Matrix Drill Bit Ø 1.4mm, L 110/32mm
03.511.280S	Matrix Drill Bit Ø 1.4mm, L 110/32mm
03.511.284	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/4mm
03.511.284S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/4mm
03.511.286	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/6mm
03.511.286S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/6mm
03.511.288	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/8mm
03.511.288S	Matrix Drill Bit Ø 1.4mm w/Stop, L 44.5/8mm
03.511.292	Matrix Drill Bit Ø 1.4mm, w/Stop, L 44.5/12mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

03.511.292S	Matrix Drill Bit Ø 1.4mm, w/Stop, L 44.5/12mm
03.511.310	Matrix Drill Bit Ø 1.4mm, L 80mm
03.511.310S	Matrix Drill Bit Ø 1.4mm, L 80mm
03.511.311	Matrix Drill Bit Ø 1.4mm, L 80mm
03.511.311S	Matrix Drill Bit Ø 1.4mm, L 80mm
03.511.320	Matrix Drill Bit Ø 1.4mm, L 110mm
03.511.320S	Matrix Drill Bit Ø 1.4mm, L 110mm
03.511.321	Matrix Drill Bit Ø 1.4mm, L 110mm
03.511.321S	Matrix Drill Bit Ø 1.4mm, L 110mm
03.511.330	Matrix Drill Bit Ø 1.4mm, L 125mm
03.511.330S	Matrix Drill Bit Ø 1.4mm, L 125mm
03.511.331	Matrix Drill Bit Ø 1.4mm, L 125mm
03.511.331S	Matrix Drill Bit Ø 1.4mm, L 125mm
03.511.340	Matrix Drill Bit Ø 1.4mm, L 125mm, f/03.503.045/047
03.511.340S	Matrix Drill Bit Ø 1.4mm, L 125mm, f/03.503.045/047
03.511.341	Matrix Drill Bit Ø 1.4mm, L 125mm, f/03.503.045/047
03.511.341S	Matrix Drill Bit Ø 1.4mm, L 125mm, f/03.503.045/047
03.511.342	Matrix Drill Bit Ø 1.4mm, L 100mm
310.111	Drill Bit Ø 1.1mm, L 55/40mm, 2-flute
310.113	Drill Bit Ø 1.1mm, f/Stryker Coupling
310.136	Drill Bit Ø 1.3mm w/Stop, L 44.5/4mm
310.137	Drill Bit Ø 1.3mm w/Stop, L 44.5/6mm
310.138	Drill Bit Ø 1.3mm w/Stop, L 52/4mm
310.139	Drill Bit Ø 1.3mm w/Stop, L 52/6mm
310.141	Drill Bit Ø 1.5mm, L 65/50mm, 2-flute
310.143	Drill Bit Ø 1.5mm, L 75/50mm, 2-flute
310.170	Drill Bit Ø 1.5mm w/Stop, L 125/8mm
310.172	Drill Bit Ø 1.5mm w/Stop, L 125/8mm
310.173	Drill Bit Ø 1.5mm w/Stop, L 125/8mm
310.203	Drill Bit Ø 2.0mm, f/Stryker Coupling
310.441	Drill Bit Ø 2.4mm, L 80mm, 2-flute
310.441S	Drill Bit Ø 2.4mm, L 80mm
310.442	Drill Bit Ø 2.4mm, L 80mm, 2-flute
310.443	Drill Bit Ø 2.4mm, L 125mm, 2-flute
310.444	Drill Bit Ø 2.4mm, L 80mm, 2-flute
310.510	Drill Bit Ø 1.8mm, L 100/75mm
310.510S	Drill Bit Ø 1.8mm, L 100/75mm
310.512	Drill Bit Ø 1.8mm, L 100/75mm
310.513	Drill Bit Ø 1.8mm, L 100/86mm
310.520	Drill Bit Ø 1.8mm, L 125mm
310.520S	Drill Bit Ø 1.8mm, L 125mm
310.522	Drill Bit Ø 1.8mm, L 125mm
310.522S	Drill Bit Ø 1.8mm, L 125mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

310.530	Drill Bit Ø 2.4mm, L 100/75mm
310.530S	Drill Bit Ø 2.4mm, L 100/75mm
310.532	Drill Bit Ø 2.4mm, L 100/75mm
310.540	Drill Bit Ø 2.4mm, L 125mm
310.540S	Drill Bit Ø 2.4mm, L 125mm
310.542	Drill Bit Ø 2.4mm, L 125mm
310.542S	Drill Bit Ø 2.4mm, L 125mm
310.565	Drill Bit Ø 1.8mm, L 80mm, 2-flute
310.565S	Drill Bit Ø 1.8mm, L 80mm
310.566	Drill Bit Ø 1.8mm, L 80mm, 2-flute
310.566S	Drill Bit Ø 1.8mm, L 80mm
310.567	Drill Bit Ø 1.8mm, L 125mm, 2-flute
310.567S	Drill Bit Ø 1.8mm, L 125mm
310.568	Drill Bit Ø 1.8mm, L 80mm, 2-flute
310.800	Countersink f/MF Cortex Screws Ø 2.4mm
316.114	Drill Bit Ø 0.76mm w/Stop, L 44.5/14.0mm
316.130	Drill Bit Ø 0.7mm w/Stop, L 44.5/3mm
316.130S	Drill Bit Ø 0.7mm w/Stop, L 44.5/3mm
316.150	Drill Bit Ø 0.76mm w/Stop, L 44.5/5mm
316.150S	Drill Bit Ø 0.76mm w/Stop, L 44.5/5mm
316.180	Drill Bit Ø 0.76mm w/Stop, L 44.5/8mm
316.180S	Drill Bit Ø 0.76mm w/Stop, L 44.5/8mm
316.230	Drill Bit Ø 0.7mm w/Stop, L 44.5/3mm
316.230S	Drill Bit Ø 0.7mm w/Stop, L 44.5/3mm
316.236	Drill Bit Ø 1.0mm, L 60/35mm
316.250	Drill Bit Ø 0.76mm w/Stop, L 44.5/5mm
316.250S	Drill Bit Ø 0.76mm w/Stop, L 44.5/5mm
316.280	Drill Bit Ø 0.76mm w/Stop, L 44.5/8mm
316.280S	Drill Bit Ø 0.76mm w/Stop, L 44.5/8mm
316.294	Drill Bit Ø 0.76mm, w/Stop, drilling depth 14mm
316.306	Drill Bit Ø 0.76mm, drilling depth 6mm
316.308	Drill Bit Ø 0.76mm, drilling depth 8mm
316.310	Drill Bit Ø 0.76mm, drilling depth 10mm
316.312	Drill Bit Ø 0.76mm, drilling depth 12mm
316.314	Drill Bit Ø 0.76mm, drilling depth 14mm
316.330	Drill Bit Ø 0.7mm w/Stop, L 17.5/3mm
316.350	Drill Bit Ø 0.76mm w/Stop, L 19.5/5mm
316.380	Drill Bit Ø 0.76mm w/Stop, L 22.5/8mm
316.396	Drill Bit Ø 1.0mm, L 50/35mm
316.403	Drill Bit Ø 1.3mm, f/Stryker Coupling
316.410	Drill Bit Ø 1.5mm, L 100/85mm
316.420	Drill Bit Ø 2.0mm, L 125mm
316.446	Drill Bit Ø 1.0mm w/Stop, L 44.5/4mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

316.446S	Drill Bit Ø 1.0mm w/Stop, L 44.5/4mm
316.447	Drill Bit Ø 1.0mm w/Stop, L 44.5/6mm
316.447S	Drill Bit Ø 1.0mm w/Stop, L 44.5/6mm
316.448	Drill Bit Ø 1.0mm w/Stop, L 44.5/8mm
316.448S	Drill Bit Ø 1.0mm w/Stop, L 44.5/8mm
316.451	Drill Bit Ø 1.0mm w/Stop, L 44.5/4mm
316.451S	Drill Bit Ø 1.0mm w/Stop, L 44.5/4mm
316.452	Drill Bit Ø 1.0mm w/Stop, L 44.5/6mm
316.452S	Drill Bit Ø 1.0mm w/Stop, L 44.5/6mm
316.453	Drill Bit Ø 1.0mm w/Stop, L 44.5/8mm
316.453S	Drill Bit Ø 1.0mm w/Stop, L 44.5/8mm
316.500	Drill Bit Ø 1.1mm, L 80mm
316.500S	Drill Bit Ø 1.1mm, L 80mm
316.510	Drill Bit Ø 1.5mm, L 80mm
316.510S	Drill Bit Ø 1.5mm, L 80mm
316.520	Drill Bit Ø 1.5mm, L 125mm
316.520S	Drill Bit Ø 1.5mm, L 125mm
316.521	Drill Bit Ø 1.5mm, L 125mm, 2-flute
316.521S	Drill Bit Ø 1.5mm, L 125mm
316.530	Drill Bit Ø 2.0mm, L 80mm
316.530S	Drill Bit Ø 2.0mm, L 80mm
316.540	Drill Bit Ø 2.0mm, L 125mm
316.540S	Drill Bit Ø 2.0mm, L 125mm
316.700	Drill Bit Ø 1.1mm, L 80mm, 2-flute
316.700S	Drill Bit Ø 1.1mm, L 80mm
316.710	Drill Bit Ø 1.5mm, L 80mm, 2-flute
316.710S	Drill Bit Ø 1.5mm, L 80mm
316.730	Drill Bit Ø 2.0mm, L 80mm, 2-flute
316.730S	Drill Bit Ø 2.0mm, L 80mm
317.140	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
317.140S	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
317.160	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
317.160S	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
317.180	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
317.180S	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm
317.220	Drill Bit Ø 1.1mm w/Stop, L 44.5/12mm
317.220S	Drill Bit Ø 1.1mm w/Stop, L 44.5/12mm
317.240	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
317.240S	Drill Bit Ø 1.1mm w/Stop, L 44.5/4mm
317.260	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
317.260S	Drill Bit Ø 1.1mm w/Stop, L 44.5/6mm
317.280	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm, 2-flute
317.280S	Drill Bit Ø 1.1mm w/Stop, L 44.5/8mm

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050

317.320	Drill Bit Ø 1.1mm w/Stop, L 44.5/12mm
317.320S	Drill Bit Ø 1.1mm w/Stop, L 44.5/12mm
317.640	Drill Bit Ø 1.5mm w/Stop, L 44.5/4mm
317.640S	Drill Bit Ø 1.5mm w/Stop, L 44.5/4mm
317.660	Drill Bit Ø 1.5mm w/Stop, L 44.5/6mm
317.660S	Drill Bit Ø 1.5mm w/Stop, L 44.5/6mm
317.680	Drill Bit Ø 1.5mm w/Stop, L 44.5/8mm
317.680S	Drill Bit Ø 1.5mm w/Stop, L 44.5/8mm
317.720	Drill Bit Ø 1.5mm w/Stop, L 44.5/12mm
317.720S	Drill Bit Ø 1.5mm w/Stop, L 44.5/12mm
317.740	Drill Bit Ø 1.5mm w/Stop, L 44.5/4mm
317.740S	Drill Bit Ø 1.5mm w/Stop, L 44.5/4mm
317.760	Drill Bit Ø 1.5mm w/Stop, L 44.5/6mm
317.760S	Drill Bit Ø 1.5mm w/Stop, L 44.5/6mm
317.780	Drill Bit Ø 1.5mm w/Stop, L 44.5/8mm
317.780S	Drill Bit Ø 1.5mm w/Stop, L 44.5/8mm
317.820	Drill Bit Ø 1.5mm w/Stop, L 44.5/12mm
317.820S	Drill Bit Ø 1.5mm w/Stop, L 44.5/12mm
317.867	Drill Bit Ø 1.8mm, f/Stryker Coupling
317.872	Drill Bit Ø 2.4mm, f/Stryker Coupling

Document Number: 0000185478	Version: See Windchill	Lifecycle State: Approved
Template: Non-PPE Form F-S433 Rev 8		Reference: W-C-S050