

# **HƯỚNG DẪN SỬ DỤNG TIẾNG ANH**

Hà Nội, ngày 28 tháng 05 năm 2022  
**Người đại diện hợp pháp của cơ sở**  
**Giám đốc**

**Nguyễn Thị Kim Chi**

## Instructions For Use

© 2021 Beckman Coulter, Inc. All rights reserved.

## Access Wash Buffer II

**REF** A16792

### FOR PROFESSIONAL USE ONLY

Rx Only

## PRINCIPLE

### INTENDED USE

Access Wash Buffer II is intended for use with the Access Immunoassay Systems and specific Access immunoassay reagents.

## REAGENTS

### PRODUCT INFORMATION

- Provided ready to use.
- Stable until the expiration date stated on the label when stored at room temperature (15 to 30°C). An increase in substrate background measurements or increased relative light units for the zero calibrators in “sandwich”-type assays may indicate instability.

<b>R3</b>	Access Wash Buffer II: 4 x 1,950 mL. TRIS buffered saline, surfactant, < 0.1% sodium azide, and < 0.05% Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1).
-----------	---

### WARNING AND PRECAUTIONS

- For *in vitro* diagnostic use.
- For hazards presented by the product refer to the following sections: REACTIVE INGREDIENTS and GHS HAZARD CLASSIFICATION.

### REACTIVE INGREDIENTS

 **CAUTION**

**Sodium azide preservative may form explosive compounds in metal drain lines. See NIOSH Bulletin: Explosive Azide Hazard (8/16/76). To avoid the possible build-up of azide compounds, flush wastepipes with water after the disposal of undiluted reagent. Sodium azide disposal must be in accordance with appropriate local regulations.**

### GHS HAZARD CLASSIFICATION

## WARNING



H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing and eye/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before use.
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin -3-one [EC# 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC# 220-239-6](3:1) < 0.05%

SDS

Safety Data Sheet is available at [beckmancoulter.com/techdocs](http://beckmancoulter.com/techdocs)

## TESTING PROCEDURE(S)

### PROCEDURE

Refer to the appropriate system Manuals and/or Help system for detailed instructions.

## ADDITIONAL INFORMATION

For a patient/user/third party in the European Union and in countries with identical regulatory regime (Regulation 2017/746/EU on In vitro Diagnostic Medical Devices); if, during the use of this device or as a result of its use, a serious incident has occurred, please report it to the manufacturer and/or its authorized representative and to your national authority.

Beckman Coulter, the stylized logo, and the Beckman Coulter product and service marks mentioned herein are trademarks or registered trademarks of Beckman Coulter, Inc. in the United States and other countries.

May be covered by one or more pat. -see [www.beckmancoulter.com/patents](http://www.beckmancoulter.com/patents).

### REVISION HISTORY

#### Revision N

IFU updated to add Dutch, Finnish, Macedonian, Traditional Chinese, and Estonian

#### Revision P


New release of IVDR compliant IFU

## SYMBOLS KEY

Glossary of Symbols is available at [beckmancoulter.com/techdocs](http://beckmancoulter.com/techdocs) (document number C02724).

EC	REP
----	-----

 Beckman Coulter Ireland Inc., Lismeehan, O'Callaghan's Mills, Co. Clare, Ireland +(353) (0) 65 683 1100

 Beckman Coulter, Inc., 250 S. Kraemer Blvd., Brea, CA 92821 U.S.A.  
[www.beckmancoulter.com](http://www.beckmancoulter.com)