





Baden-Württemberg
REGIERUNGSPRÄSIDIUM FREIBURG

EINGEGANGEN

28. Nov. 2016

ASANUS

<p>Bescheinigung der Verkehrsfähigkeit nach § 34 Abs. 1 des</p> <p>der gegenwärtig gültigen Fassung des Medizinproduktegesetzes (MPG)</p> <p>zur Vorlage bei den zuständigen Behörden / Stellen</p> <p>von</p> <p>VIETNAM</p> <p>Es wird bescheinigt, dass die nachfolgend genannten Medizinprodukte</p> <ul style="list-style-type: none"> ◦ in Deutschland, ◦ in den Mitgliedstaaten der Europäischen Union und ◦ in den anderen Vertragsstaaten des Abkommens über den Europäischen Wirtschaftsraum uneingeschränkt verkehrsfähig sind. <p>Produkt / Produkte:</p> <p>- siehe Anlage</p> <p>Hersteller oder der für das erstmalige Inverkehrbringen im Europäischen Wirtschaftsraum Verantwortliche:</p> <p>ASANUS Medizintechnik GmbH take off Gewerbepark 2 78579 Neuhausen ob Eck / Deutschland</p> <p>Es wird auch bescheinigt, dass der Hersteller durch das CE-Kennzeichen zum Ausdruck bringt, dass die Medizinprodukte die grundlegenden Anforderungen der</p> <p>Richtlinie 93/42/EWG des Rates vom 14. Juni 1993 über Medizinprodukte</p> <p>in der gegenwärtig gültigen Fassung erfüllen und das vorgeschriebene Konformitätsbewertungsverfahren durchgeführt wurde.</p> <p>Freiburg i. Br., den 26. September 2016</p> <p> Dietlinde Fritz</p> <p></p>	<p>Certificate of Marketability according to § 34 (1)</p> <p>of the Medical Devices Law (MPG) in the current valid version</p> <p>for presentation to the competent authorities / bodies</p> <p>of</p> <p>VIETNAM</p> <p>It is certified that the following medical devices can be marketed without restriction within</p> <ul style="list-style-type: none"> ◦ Germany, ◦ the member states of the European Union and ◦ the other states having a contractual agreement with the European Economic Area. <p>Product / Products:</p> <p>- see annex</p> <p>Manufacturer or those responsible for first placing the product in the European Economic Area:</p> <p>ASANUS Medizintechnik GmbH take off Gewerbepark 2 78579 Neuhausen ob Eck / Germany</p> <p>It is also certified that the manufacturer with the CE-mark confirms that the medical devices fulfill the essential requirements of the</p> <p>Council Directive 93/42/EEC of 14 June 1993 concerning medical devices</p> <p>in the current valid version and that the required conformity assessment has been completed.</p>
---	--

Produktliste der Einzelartikel für FSC / Product list single items for FSC



UMDNS C	DIMDI Nummer	Artikelnummer/ item number	item description	GMDN Code	GMDN description	
13-368	DE/CA39/849/253	WH2850	FIXATION FOR OP-TABLE FOR "ROCHARD-HOOK"		13368	retainer, fixation
13-368	DE/CA39/849/253	WH2860	FIXATION FOR OR-TABLE ONE SIDE		13368	retainer, fixation
13-368	DE/CA39/849/253	WH2870	ROCHARD FIXATION PART	COMPLETE FRAME WITH 1 SIDE ARMS, 2 SIDE FOR WH2880 - WH2920	13368	retainer, fixation
13-368	DE/CA39/849/253	WH2930	FIXATION UNIT "DOYEN-CHILD"	ADJUSTABLE; 220 MM TOTAL LENGTH	13368	retainer, fixation
13-368	DE/CA39/849/253	MF0210	OFFSPRING-HOLLOW "NIEDERDELLMANN, 7,5MM		13368	retainer, fixation
13-368	DE/CA39/849/253	MF0220	OFFSPRING-HOLLOW "NIEDERDELLMANN" 7,5MM		13368	retainer, fixation
13-368	DE/CA39/849/253	MF0310	OFFSPRING-HOLLOW "OBWEGESER, 10MM WIDE 1		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9034	FIXATION INSTRUMENT FOR THE FRAME TO THE	OPERATION TABLE	13368	retainer, fixation
13-368	DE/CA39/849/253	AU0838	HOLDER FOR U-SHAPED PROBE "NEUHANN"	WITH LOCK	13368	retainer, fixation
13-368	DE/CA39/849/253	AU0111	FLIERINGA FIXATIONRING 16 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0112	FLIERINGA FIXATIONRING 17 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0113	FLIERINGA FIXATIONRING 18 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0114	FLIERINGA FIXATIONRING 19 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0115	FLIERINGA FIXATIONRING 20 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0110	FLIERINGA FIXATIONRING 15 MM		13368	retainer, fixation
13-368	DE/CA39/849/253	AU0997	CLEAR-CORNEA-INCISION FIXATION RING	D 16MM, 12 TEETH	13368	retainer, fixation
13-368	DE/CA39/849/253	AU0998	CLEAR-CORNEA-INCISION FIXATION RING	D 13MM, 9 TEETH	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9101	FIXATOR FOR ROCHARD HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9103	HORIZONTAL PART FOR ROCHARD HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9107	HOOK FOR ROCHARD HOOK	IN STABIL AND ELASTIC STEEL QUALITY	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9108	FIXATOR FOR ROCHARD HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9112	HOOK 120MM WIDE FOR ROCHARD HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9116	HOOK 160MM WIDE FOR ROCHARD HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	AU2001	OPHTHALMOLOGY FIXATION HOOK		13368	retainer, fixation
13-368	DE/CA39/849/253	WH9040	OPERATION TABLE FRAME "BEHREND-ERLANGEN"	700MM WIDE, 660MM HIGH WITH 10 FIXATION	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9041	OPERATION TABLE FRAME "BEHREND-ERLANGEN"	910MM WIDE, 660MM HIGH WITH 13 FIXATION	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9042	OPERATION TABLE FRAME "BEHREND-ERLANGEN"	1250MM WIDE, 681MM HIGH WITH 14 FIXATION	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9045	RIB RETRACTOR HOOK "MOD.BEHREND"	WITH FIXATION PIN 37X28MM VALVE	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9046	RIB RETRACTOR HOOK "MOD.BEHREND"	WITH FIXATION PIN 37X28MM VALVE, 1 PAIR	13368	retainer, fixation
13-368	DE/CA39/849/253	WH9047	RIB RETRACTOR HOOK "MOD.BEHREND"	WITH FIXATION PIN 70X50MM VALVE, 1 PAIR	13368	retainer, fixation
13-368	DE/CA39/849/253	AU0008	ANCHORAGE RING "HOFMANN THORNTON"		13368	retainer, fixation
13-368	DE/CA39/849/253	AU5005	TITANIUM FIXATION HOLDER FOR SUCTION	ITEM FIG.2	13368	retainer, fixation
13-368	DE/CA39/849/253	AU5004	HOLDER FOR ABSORBENT STRIPS	SERRATED FIG.1	13368	retainer, fixation
13-368	DE/CA39/849/253	AU5006	HOLDER FOR ABSORBENT STRIPS	SERRATED FIG.3	13368	retainer, fixation
13-368	DE/CA39/849/253	AU5007	HOLDER FOR ABSORBENT STRIPS	SERRATED FIG.4	13368	retainer, fixation
13-368	DE/CA39/849/253	AU5008	HOLDER FOR ABSORBENT STRIPS	SERRATED FIG.5	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4800	ARM SYSTEMS WITH HEIGHT-ADJUSTABLE	STAND 300 MM, RADIUS 310 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4801	ARM SYSTEMS WITH HEIGHT-ADJUSTABLE	STAND 300 MM, RADIUS 420MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4802	ARM SYSTEMS WITH HEIGHT-ADJUSTABLE	STAND 300 MM, RADIUS 310 MM; WITH	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4803	ARM SYSTEMS WITH HEIGHT-ADJUSTABLE	STAND 300 MM, RADIUS 420 MM; WITH	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4804	ARM SYSTEM WITH L-STAND 470X170MM	WITH UNIVERSAL RETRAKTOR HOLDER;	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4805	ARM SYSTEM WITH L-STAND 660X220MM	WITH UNIVERSAL RETRAKTOR HOLDER;	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4806	ARM SYSTEM WITH L-STAND 800X200 MM	WITH UNIVERSAL RETRAKTOR HOLDER;	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4807	ARM SYSTEM WITH L-STAND 470X170 MM	WITH LOCKING ADAPTER; RADIUS 310 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4808	ARM SYSTEM WITH L-STAND 600X220 MM	WITH LOCKING ADAPTER; RADIUS 310 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4809	ARM SYSTEM WITH L-STAND 800X200 MM	WITH LOCKING ADAPTER; RADIUS 310 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4810	ARM SYSTEM WITH L-STAND 470X170 MM	WITH UNIVERSAL RETRAKTOR HOLDER;	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4811	"Flexi-Arm-System" L-Stativ 600x220 mm	radius 420mm, with univ.retractor holder	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4812	ARM SYSTEM WITH L-STAND 800X200 MM	WITH UNIVERSAL RETRAKTOR HOLDER;	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4813	ARM SYSTEM WITH L-STAND 470X170 MM	WITH LOCKING ADAPTER; RADIUS 420 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4814	ARM SYSTEM WITH L-STAND 600X220 MM	WITH LOCKING ADAPTER; RADIUS 420 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4815	ARM SYSTEM WITH L-STAND 800X200 MM	WITH LOCKING ADAPTER; RADIUS 420 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4816	ARMSYSTEM RADIUS 310MM WITH U-STAND	400x400x170MM; WITH RETRAKTOR HOLDER	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4817	ARMSYSTEM RADIUS 310MM WITH DETACHABLE	U-STAND 800x400x170MM; WITH RETRAKTOR H	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4818	ARMSYSTEM RADIUS 420MM WITH U-STAND	400x400x170MM; WITH RETRAKTOR HOLDER	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4819	ARMSYSTEM RADIUS 420MM WITH DETACHABLE	U-STAND 800x400x170MM; WITH RETRAKTOR	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4823	ARMSYSTEM RADIUS 420MM WITH DETACHABLE	U-STAND 800x400x170MM; WITH LOCKING	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4822	ARMSYSTEM RADIUS 420MM WITH	U-STAND 400x400x170MM; WITH LOCKING	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4821	ARMSYSTEM RADIUS 310MM WITH DETACHABLE	U-STAND 800x400x170MM; WITH LOCKING	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4820	ARMSYSTEM RADIUS 310MM WITH	U-STAND 800x400x170MM; WITH LOCKING	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4824	DOUBLE ARM SYSTEM RADIUS 420MM WITH	ROTABLE T-JOINT; WITH L-STAND 560x200MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4826	DOUBLE ARM SYSTEM RADIUS 420MM WITH	ROTABLE T-JOINT; WITH L-STAND 560x200MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4825	DOUBLE ARM SYSTEM RADIUS 420MM WITH	ROTABLE T-JOINT; WITH L-STAND	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4827	DOUBLE ARM SYSTEM RADIUS 420MM WITH	ROTABLE T-JOINT; WITH L-STAND	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4900	ARM SYSTEM WITH ENDOSCOPE HOLDER;	Ø 8/10 MM; WH4741; RADIUS 300MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4904	ARM SYSTEM WITH ENDOSCOPE HOLDER;	Ø 8/10 MM; WH4741; RADIUS 400MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4901	"Flexi-Arm-System"straight, stative 300mm	radius 300mm with univ. endoscope holder	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4905	ARM SYSTEM WITH UNIVERSAL ENDOSCOPE	HOLDER; Ø 2,7-10; WH4742; RADIUS 400 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4902	ARM SYSTEM WITH RETRAKTOR HOLDER	WH4740; RADIUS 300 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4906	ARM SYSTEM WITH RETRAKTOR HOLDER	WH4740; RADIUS 400 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4903	ARM SYSTEM WITH LOCKING ADAPTER	QUICK-LOCK; RADIUS 300 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4907	ARM SYSTEM WITH LOCKING ADAPTER	QUICK-LOCK; RADIUS 400 MM	13368	retainer, fixation
13-368	DE/CA39/849/253	WH4908	DOUBLE ARM SYSTEM RADIUS 400MM ASSEMBLED		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4910	DOUBLE ARM SYSTEM RADIUS 400MM ASSEMBLED		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4909	DOUBLE ARM SYSTEM RADIUS 400MM ASSEMBLED		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4911	DOUBLE ARM SYSTEM RADIUS 400MM ASSEMBLED		13368	retainer, fixation

Produktliste der Einzelartikel für FSC / Product list single items for FSC



13-368	DE/CA39/849/253	WH4701	FLEXI-HOLDER H1 WORKING LENGTH 310MM	HOLDING POWER 100 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4702	FLEXI-HOLDER H2 WORKING LENGTH 420MM	HOLDING POWER 90 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4703	FLEXI-HOLDER H3 WORKING LENGTH 300MM	HOLDING POWER 60 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4704	FLEXI-HOLDER H4 WORKING LENGTH 400MM	HOLDING POWER 50 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4705	FLEXI-HOLDER H5 WORKING LENGTH 700MM	HOLDING POWER 20 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4706	FLEXI-HOLDER H6 WORKING LENGTH 900MM	HOLDING POWER 20 N		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4710	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4711	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS H3		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4712	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS H3		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4713	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS H3		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4714	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS H3		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4715	SREW STAND Ø 16 MM SCREW THREAD M 10 AND	INTERNAL SCREW M10x1 FOR HOLDING ARMS H3		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4716	HEIGTH-ADJUST. STAND Ø16MM WITH INTERNAL	SCREW THREAT M10x1 FOR HOLDING ARMS H1		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4717	HEIGTH-ADJUST. STAND Ø16MM WITH INTERNAL	SCREW THREAT M10x1 FOR HOLDING ARMS H1		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4718	HEIGTH-ADJUST. STAND Ø16MM WITH INTERNAL	SCREW THREAT M10x1 FOR HOLDING ARMS H1		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4730	CLAMP SOCKET K1 FOR HEIGTH-ADUST. STAND	Ø16MM, ELECTRIC.INSULATED UP TO 1,5KV AC		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4731	CLAMP SOCKET K2 FOR HEIGTH-ADUST. STAND	Ø16MM, ELECTRIC.INSULATED UP TO 4,5KV AC		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4732	CLAMP SOCKET K3 MADE OF LIGHT METAL,HOL-	DING 50MM,FOR HEIGHT-ADJUST. STAND Ø16MM		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4733	CLAMP SOCKET K4 MADE OF LIGHT METAL,HOL-	DING 35MM,FOR SCREW STAND Ø16MM/M10		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4734	CLAMP SOCKET K5 MADE OF LIGHT METAL,HOL-	DING 50MM,FOR SCREW STAND Ø16MM/M10		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4740	UNIVERSAL RETRACTOR HOLDER			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4741	ENDOSCOPE HOLDER Ø 8/10MM			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4742	UNIVERSAL ENDOSCOPE HOLDER	Ø 2,7-10MM		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4743	JOINT EXTENSION 180 MM LONG-LOCKABLE			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4744	DOUBLE TUBE HOLDER MADE OF ALUMINIUM			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4745	UNIVERSAL TUBE HOLDING PLATE			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4746	UNIVESAL RETRACTOR HOLDER			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4747	ENDOSCOPE HOLDER Ø 8/10MM			13368	retainer, fixation
13-368	DE/CA39/849/253	WH4748	UNIVERSAL ENDOSCOPE HOLDER	Ø 2,7-10MM		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4749	UNIVERSAL RETRACTOR AND FORCEPS HOLDING	DEVICE		13368	retainer, fixation
13-368	DE/CA39/849/253	WH4750	ADDITIONAL RETRACTOR FIXATION SYSTEM	ONLY FOR ARM SYSTEMS WH48		13368	retainer, fixation
13-368	DE/CA39/849/253	WH2850-1	FIXATION FOR OR-TABLE FOR "ROCHARD-HOOK"	ABOVE PART ALLONE WITH EACH TWO SREW		13368	retainer, fixation
13-368	DE/CA39/849/253	KN9944	knee positioner set	including KN9950, KN9951, KN9952, KN9953		13368	retainer, fixation
13-368	DE/CA39/849/253	KN9975	hexagonal bar with pulleys,	total length 1300mm		13368	retainer, fixation
13-368	DE/CA39/849/253	KN9976	hexagonal bar with pulleys,	total length 600mm		13368	retainer, fixation
16-222	DE/CA39/849/78	DSP122	INSTRUMENT GUARDS PERFORATED	BLUE 2,0x19MM, 5 64"x3/4"	1 PACK. = 100 PCS	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP121	INSTRUMENT GUARDS PERFORATED	WHITE 1,6x19MM	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP123	INSTRUMENT GUARDS PERFORATED	GREEN 2,8x19MM	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP124	INSTRUMENT GUARDS PERFORATED	RED 3,2x25,4MM, 8"x1"	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP125	INSTRUMENT GUARDS PERFORATED	YELLOW 4,8x25,4MM, 3 /16"x1"	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP126	INSTRUMENT GUARDS PERFORATED	MAROON 10,3x19MM, 13 / 32"x3/4"	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP127	INSTRUMENT GUARDS PERFORATED	ORANGE 1,6x9,5x25,4MM	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP128	INSTRUMENT GUARDS PERFORATED	BROWN 1,6x15,9x25,4MM, 5/64"x5/8"x1"	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP129	INSTRUMENT GUARDS PERFORATED	BLACK 3,2x25,4x25,4MM, 1/8"x1"x1"	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP130	INSTRUMENT GUARDS PERFORATED	VARIETY PACK	1 PACK. = 100 PCS.	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP101	OSTEOTOME GUARDS PERFORATED	5X15MM, 1/4"x3/4"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP102	OSTEOTOME GUARDS PERFORATED	10x25MM, 23/8"x1"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP103	OSTEOTOME GUARDS PERFORATED	13x25MM, 23/8"x1"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP104	OSTEOTOME GUARDS PERFORATED	19x25MM, 3/4"x1"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP105	OSTEOTOME GUARDS PERFORATED	25x25MM, 1"x1"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP106	OSTEOTOME GUARDS PERFORATED	32x32MM, 1 1/4"x1 1/4"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP107	OSTEOTOME GUARDS PERFORATED	38x38MM, 1 1/2"x1 1/2"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP108	OSTEOTOME GUARDS PERFORATED	45x38MM, 1 3/4"x1 1/2"		34004	Guard, instrument
16-222	DE/CA39/849/78	DSP023	INSTRUMENTENS TIP GUARDS WITH HOLES	LENGTH 51MM PURPLE	VE=70STÜCK	34004	Guard, instrument
16-222	DE/CA39/849/78	DSP024	INSTRUMENTENS TIP GUARDS WITH HOLES	LENGTH 51mm RED T	VE=70STÜCK	34004	Guard, instrument

